

**TOWNSHIP OF HARDING**  
**BOARD OF HEALTH**  
**REGULAR MEETING**  
**IN PERSON**  
**JUNE 9, 2022 at 7:30 pm**  
**21 Blue Mill Road, New Vernon, NJ**

**ADEQUATE NOTICE** of this meeting of the Harding Township Board of Health was given as follows: On January 14, 2022, notice was sent to the *DAILY RECORD* and the *OBSERVER-TRIBUNE*, posted on the Bulletin Board in the Township Hall at 21 Blue Mill Road in Harding, NJ and filed with the Municipal Clerk.

**AGENDA**

(To the extent now known)

AGENDA ITEMS	Formal Action May Be Taken	
	Yes	No
1. Roll Call – Board Secretary		X
2. BOH Waiver Request - Tom Gallo, 5 Post House Road, B 33.03, L 3	X	
3. BOH Waiver Request – The Shalebrook Group 2, LLC 19 Lee’s Hill Road, B 17, L 54	X	
4. Acceptance of BOH Minutes * Regular Minutes, May 12, 2022	X	
5. Monthly Health Department Report * Monthly Report, May 2022 * Monthly Financial Report, May 2022	X X	
6. County of Morris Monthly Report of Activities for the Township of Harding * Monthly Report, May 2022	X	
7. Formal Request to Board of Health For First Extension Of Septic Permits - Maddaluna, Block 32, Lot 1.25, Shalebrook Drive	X	
8. Other matters that may come before the Board and Hearing Persons Present		X
9. Adjournment	X	

# **Board of Health**

## **Waiver Request**

**Applicant: Tom Gallo**

**5 Post House Road**

**Block 33.03, Lot 3**

### **WAIVER being requested:**

- 1. Waiver to permit a setback for the distance to a property line is required for the new field, 25 feet is required and \_\_\_\_ feet is proposed.**



R T 0021

21 Blue Mill Road, P.O. Box 666  
New Vernon, New Jersey 07976  
(973) 267-8000 Ext.715

**TOWNSHIP OF HARDING  
BOARD OF HEALTH  
REQUEST FOR WAIVER FROM BOARD OF  
HEALTH REGULATIONS  
FEE: \$175.00**

To request a waiver from Harding health standards or to appeal a ruling by the Health Department the applicant must complete this form and comply with the conditions set herein. The Board of Health cannot waive New Jersey State requirements. The request for waivers and appeals will not be heard by the Board of Health unless a complete application. If the Board needs to consult with the Board of Health Attorney or Township Engineer an escrow account must be established prior to the hearing.

**SITE INFORMATION:**

OWNER: Tom Gallo BLOCK: 33.03 LOT: 3  
PROPERTY ADDRESS: 5 Post House Road  
MAILING ADDRESS: 94 Crest Drive, Bernardsville, NJ 07924  
PHONE: 201-415-4713 EMAIL: tgallo@gmail.com

**PROJECT INFORMATION:** Briefly describe the project and waivers requested or reasons for appeal. (You may submit a separate sheet).

The applicant is installing an upgraded septic system for a single family dwelling to be renovated.

Due to the environmental constraints and the location of the well, the only location for the proposed septic field requires variance from the Harding Township Health Code. The location complies with the State Health Code.



PROJECT ENGINEER: Ryan L. Smith, NJPE&LS, CME  
ADDRESS: 460 Main Street, P.O. Box 459, Chester, NJ 07930  
PHONE: 908-879-6646x17 EMAIL: r.smith@yvallc.com




## APPLICATION CHECKLIST:

<input checked="" type="checkbox"/>	Three physical copies and a PDF of the application and plans.
<input checked="" type="checkbox"/>	Fee of \$175.00
<input type="checkbox"/>	<b>Applicant Ownership:</b> If the applicant is a corporation or partnership, a list of names and addresses of all stockholders or partners owning at least 10% of any class of its stock or at least 10% of the partnership interest.
<input checked="" type="checkbox"/>	<b>Owner Certification:</b> The site owner must sign the application or provide a statement of permission allowing an agent to sign the application.
<input checked="" type="checkbox"/>	<b>Notification of Affected Parties:</b> The applicant shall provide the names and addresses of property owners within 200 feet of the subject site. The applicant shall also provide proof that these property owners have been notified of the waiver application, the time and date of the schedule hearing and the nature of the waivers requested.
<input checked="" type="checkbox"/>	A plan view of the system(s) affected and the entire site at a minimum scale of one inch equals thirty feet. (1"=30')
<input checked="" type="checkbox"/>	Plan view shall show the locations of all permanent structures including, but not limited to: driveways, house foundations, pools, outbuildings, decks, underground storage tanks, underground drainage systems, underground utilities, wetland boundaries and wetland transition areas.
<input checked="" type="checkbox"/>	Plan view shall show the location of all of the septic components and wells on the subject site and within 150 feet of the subject lot.
<input checked="" type="checkbox"/>	Plan view shall show the complete extent, including all structures, septic system components and water supplies of all adjacent parcels affected by the waiver request.
<input checked="" type="checkbox"/>	Plan view shall highlight or otherwise draw attention to the area or areas requiring waivers from Board of Health regulations.
<input checked="" type="checkbox"/>	The plan or application support documents shall show a table that includes: <ul style="list-style-type: none"> <li>a. The Board of Health requirement or limitation</li> <li>b. Existing condition(s) if applicable</li> <li>c. Proposed condition(s)</li> </ul>

## OWNER CERTIFICATION:

I am the owner of the subject property and I certify the submitted information is correct and I understand my responsibilities to comply with applicable state and local regulation.

Owners Signature:  Date: 5/26/2022

## AGENT CERTIFICATION:

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agents Signature: \_\_\_\_\_ Date: \_\_\_\_\_

# **Board of Health**

## **Waiver Request**

**Applicant: The Shalebrook Group**

**19 Lee's Hill Road**

**Block 17, Lot 54**

### **WAIVERS being requested:**

- 1. Waiver of the requirement under section 422-28 of the Township Code for a new septic system to have a reserve expansion/replacement disposal area.**
- 2. Waiver of the requirement under section 22-26 of the Township code that requires a septic disposal field be setback from a property line a minimum of 25 feet, requesting 12.8 feet.**



**TOWNSHIP OF HARDING  
BOARD OF HEALTH  
REQUEST FOR WAIVER FROM BOARD OF  
HEALTH REGULATIONS  
FEE: \$175.00**

21 Blue Mill Road, P.O. Box 666  
New Vernon, New Jersey 07976  
(973) 267-8000 Ext. 715

To request a waiver from Harding health standards or to appeal a ruling by the Health Department the applicant must complete this form and comply with the conditions set herein. The Board of Health cannot waive New Jersey State requirements. The request for waivers and appeals will not be heard by the Board of Health unless a complete application. If the Board needs to consult with the Board of Health Attorney or Township Engineer an escrow account must be established prior to the hearing.

**SITE INFORMATION:**

OWNER: The Shalebrook Group 2 LLC BLOCK: 17 LOT: 54  
PROPERTY ADDRESS: 19 Lees Hill Rd  
MAILING ADDRESS: P.O. Box 727, Bernardsville NJ 07924  
PHONE: 646.733.8591 EMAIL: jgoldberg@shalebrookgroup.com

**PROJECT INFORMATION:** Briefly describe the project and waivers requested or reasons for appeal. (You may submit a separate sheet).

We are requesting (2) BoH Waivers:

1. Waiver of the requirement under section 422-28 of the Township of Harding Code for a new septic system to have a Reserve expansion/replacement disposal area. On May 2nd, 2022 CEI dug (4) test pits on the property, (2) in the front yard for the primary disposal field and (2) in the backyard for the reserve expansion/replacement disposal area. The test pits for the reserve field were dug in the only suitable area that complies with all required setbacks. At both pits we hit solid rock at roughly 36" - 40" making this area unsuitable for a disposal area as determined by N.J.A.C 7:9A, Subchapter 5. Given the small lot size of 54,166 sf, there are no other areas on the site that will comply with all the required setbacks except at the proposed location of the primary disposal field.
2. Waiver of the requirement under section 422-26 of the Township of Harding Code that requires a septic disposal field be setback from a property line a minimum of 25'. Our disposal field will be set back from the property line roughly 12.8' which complies with the state required setback of 10' as described in N.J.A.C 7:9A-4.3, Table 4.3. Given the small lot size, location of the well and other setbacks, a waiver of the township's increased property line setback would be required to install any size septic disposal field on this property. Meaning that by the township's current code, this waiver would be required to have this property be habitable.

PROJECT ENGINEER: Civil Engineering Inc.  
ADDRESS: 1 Cove Street, Budd Lake, NJ 07828  
PHONE: 973.426.1776 EMAIL: jglasson@civlengineeringinc.com  
hweglinski@civlengineeringinc.com



**APPLICATION CHECKLIST:**

<input type="checkbox"/>	Three physical copies and a PDF of the application and plans.
<input type="checkbox"/>	Fee of \$175.00
<input type="checkbox"/>	<b>Applicant Ownership:</b> If the applicant is a corporation or partnership, a list of names and addresses of all stockholders or partners owning at least 10% of any class of its stock or at least 10% of the partnership interest.
<input type="checkbox"/>	<b>Owner Certification:</b> The site owner must sign the application or provide a statement of permission allowing an agent to sign the application.
<input type="checkbox"/>	<b>Notification of Affected Parties:</b> The applicant shall provide the names and addresses of property owners within 200 feet of the subject site. The applicant shall also provide proof that these property owners have been notified of the waiver application, the time and date of the schedule hearing and the nature of the waivers requested.
<input type="checkbox"/>	A plan view of the system(s) affected and the entire site at a minimum scale of one inch equals thirty feet. (1"=30')
<input type="checkbox"/>	Plan view shall show the locations of all permanent structures including, but not limited to: driveways, house foundations, pools, outbuildings, decks, underground storage tanks, underground drainage systems, underground utilities, wetland boundaries and wetland transition areas.
<input type="checkbox"/>	Plan view shall show the location of all of the septic components and wells on the subject site and within 150 feet of the subject lot.
<input type="checkbox"/>	Plan view shall show the complete extent, including all structures, septic system components and water supplies of all adjacent parcels affected by the waiver request.
<input type="checkbox"/>	Plan view shall highlight or otherwise draw attention to the area or areas requiring waivers from Board of Health regulations.
<input type="checkbox"/>	The plan or application support documents shall show a table that includes: a. The Board of Health requirement or limitation b. Existing condition(s) if applicable c. Proposed condition(s)

**OWNER CERTIFICATION:**

I am the owner of the subject property and I certify the submitted information is correct and I understand my responsibilities to comply with applicable state and local regulation.

Owners Signature: \_\_\_\_\_ Date: 5/14/22

**AGENT CERTIFICATION:**

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agents Signature: \_\_\_\_\_ Date: 5/14/22

# **Board of Health Monthly Report**

- 1. MAY 2022 – Monthly w/Financial  
Report**



# HARDING TOWNSHIP HEALTH DEPARTMENT

## MONTHLY REPORT

**MAY 2022**

### ENVIRONMENTAL HEALTH

**INSPECTIONS: Septic System, Well Construction and Permeability Testing**  
**Total for the Month MAY 2022: (21 ) Year-to-Date: ( 78 )**

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on May 2, 2022 with Civil Engineering.

Hughes, Block 4, Lot 28, 227 Blue Mill Road, Septic. Mr. Byrnes conducted an inspection of the septic bed excavation on May 2, 2022.

Hughes, Block 4, Lot 28, 227 Blue Mill Road, Septic. Mr. Byrnes conducted an inspection of the suitable fill and vacuum test on May 4, 2022.

Hughes, Block 4, Lot 28, 227 Blue Mill Road, Septic. Mr. Byrnes witnessed the force main pressure test on May 5, 2022 and later that afternoon conducted an inspection of the stones, laterals, and pump test.

Hughes, Block 4, Lot 28, 227 Blue Mill Road, Septic. Mr. Byrnes witnessed the float test on May 10, 2022.

Kovacs, Block 18, Lot 6, 17 Village Road, Septic Repair. Mr. Byrnes witnessed the septic repair on May 10, 2022 and later that afternoon returned for a second inspections.

Ricciardi, Block 14, Lot 188.03, 114 Lee's Hill Road, Septic. Mr. Byrnes witnessed the tank abandonment on May 10, 2022.

Ferolito, Block 16, Lot 14.01, 87 Village Road, Well. Mr. Byrnes witnessed the well drilling on May 16, 2022.

Zwillman, Block 155, Lot 199.02, 112 Village Road, Septic Repair. Mr. Byrnes witnessed the septic repair on May 16, 2022.

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Septic. Mr. Byrnes conducted an inspection of the septic bed excavation on May 17, 2022.

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Septic. Mr. Byrnes conducted an inspection suitable fill on May 20, 2022.

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Septic. Mr. Byrnes witnessed the vacuum test on May 24, 2022.

Charlton, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair. Mr. Byrnes witnessed the septic repair on May 24, 2022.

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Septic. Mr. Byrnes conducted an inspection of the stone and laterals on May 18, 2022.

Charlton, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair. Mr. Byrnes conducted an inspection of the septic repair on May 25, 2022.

Bjorkedal, Block 8, Lot 3.01, 7 Cherry Lane, Septic Repair. Mr. Byrnes witnessed the septic repair with Beachstone Septic on May 25, 2022.

Charlton, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair. Mr. Byrnes conducted an inspection of the septic repair on May 26, 2022.

Charlton, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair. Mr. Byrnes conducted an inspection of the septic repair on May 27 2022.

**PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for MAY (13) YTD: (66)**

Zwillman, Block 15, Lot 19.02, 112 Village Road, Septic Repair. Mr. Byrnes witnessed the septic repair on May 16, 2022.

Kovacs, Block 18, Lot 6, 17 Village Road, Septic Repair. Mr. Byrnes witnessed the septic repair on May 10,

2022.

Dalena, Block 9, Lot 3.01, 204 Blue Mill Road, Variance Review. Miss Meyers reviewed the application and sent comments to the Board of Adjustment on May 12, 2022.

Wentworth, Block 22, Lot 3, 29 Sand Spring Lane, Variance Review. In review by Miss Meyers.

Kurdzialek, Block 44, Lot 11, 58 Lake Trail East, Septic Repair. Miss Meyers conducted an inspection on May 26, 2022.

Chartlon, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair. Mr. Byrnes witnessed the septic repair and issued the certificate of compliance on May 31, 2022.

Naumov, Block 333.02, Lot 3, 56 Post House Road, Addition Review. Mr. Byrnes reviewed the application and sent approval on May 19, 2022.

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic Alteration. In review by Mr. Byrnes. Will go before BOH on June 12, 2022 for waivers.

Bjorkedal, Block 8, Lot 3.01, 7 Cherry Lane, Septic Repair. Mr. Byrnes witnessed the septic repair and issued the certificate of compliance # 3253 on May 31, 2022.

Faiella, Block 46, Lot 12.03, 33 Bailey's Mill Road, Septic Repair. In review by Miss Meyers.

<b><i>PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM: MARCH 2022</i></b>
--

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. Awaiting architectural plans.

Gerber, Block 5, Lot 6, 587 Van Beuren Road, Addition Review. In review by Mr. Byrnes.

<b><i>HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR MAY 2022:</i></b>
---

Mrs. Sharp conducted a file review on May 4, 2022 for septic information for H2M for Block 8, Lots, 2.02, 5.02, 5.04, 9.02, 9.04, and 15. The information was emailed on May 4, 2022.

Mrs. Sharp conducted an OPRA request on May 9, 2022 for septic information pertaining to 33 Bailey's Mill Road. The information was emailed.

Mrs. Sharp conducted an OPRA request on May 9, 2022 for septic information pertaining to 10 Hemlock. The information was emailed.

Mrs. Sharp conducted an OPRA request on May 9, 2022 for septic information pertaining to 502 Van Beuren. The information was emailed.

Mrs. Sharp conducted an OPRA request on May 10, 2022 for septic information pertaining to 95 Pleasantville Road. The information was emailed.

Mrs. Sharp attended a meeting on May 11, 2022 pertaining to fees.

Mrs. Sharp conducted an OPRA request on May 12, 2022 for septic information pertaining to 37 Morgan Drive. The information was emailed to Bob Rutan, Septic Inspector.

Mrs. Sharp conducted an OPRA request on May 12, 2022 for septic information pertaining to 2 Mayfield Road. The information was emailed.

Mrs. Sharp conducted an OPRA request on May 16, 2022 pertaining to 33 Bailey's Mill Road. The information was emailed.

Mr. Byrnes attended a webinar on May 18, 2022.

Mr. Byrnes conducted a file review on May 20, 2022 pertaining to 146 Village Road.

Mrs. Sharp conducted an OPRA request on May 24, 2022 pertaining to septic information for 32 Meadow Lane. The information was emailed.

Mrs. Sharp conducted an OPRA request on May 24, 2022 for Bob Rutan for septic information pertaining to 41 Post House Road. The information was emailed.



Health Department  
Monthly Report  
May 2022

Mrs. Sharp conducted an OPRA request on May 26, 2022 for Bob Rutan for septic information pertaining to a property located on Springhouse Road. The information was emailed.

Mr. Byrnes had a meeting with the resident from 95 Pleasantville Road and his engineer on May 31, 2022.

Mrs. Sharp corresponded with Dr. Perez, Jr. and Mrs. Gorman on health department matters throughout the month of May 2022.

**SEPTIC TANK PUMP OUT PERMITS FOR MAY – Total for Month: (9) YTD: ( 70)**

**The following septic tank pump out permits were received during the month of May 2022:**

Horstmann Septic, Block 15, Lot 13, Warest, 92 Village Road, 2 tanks pumped on May 12, 2022, P#8542, routine maintenance.

Horstmann Septic, Block 4, Lot 62, Petri, 2 Thanksgiving Road, 2 tanks pumped on May 11, 2022, P#8543, routine maintenance.

Horstmann Septic, Block 17, Lot 42, Catz, 27 Long Hill Road, 3 tanks pumped on 5/12/2022, P#8544, routine maintenance.

Horstmann Septic, Block 19, Lot 12.05, Ritter, 30 Sand Spring Lane, 2 tanks pumped on 4/29/2022, P#8537, routine maintenance.

Horstmann Septic, Block 48, Lot 8.10, La Russo, 8 Fawn Hill Drive, 2 tanks pumped on 5/3/2022, P#8539, routine maintenance.

Horstmann Septic, Block 2, Lot 11.01, Meyer, 16 Spring House Lane, 4 tanks pumped on 5/14/2022, P#8545, routine maintenance.

Horstmann Septic, Block 27, Lot 3.02, Saraceno, 665 Mt. Kemble Avenue, 3 tanks pumped on 5/17/2022, P#8546, routine maintenance.

Horstmann Septic, Block 17, Lot 44.03, Geyer, 15 Long Hill Road, 2 tanks pumped on 5/18/2022, P#8547, routine maintenance.

Horstmann Septic, Block 17, Lot 55.04, Bansel, 6 Copper Tree Lane, 2 tanks pumped on 5/2/2022, P#8538, routine maintenance.

**WELL RECORDS: Total for MAY 2022 (0 ) Year to Date: ( 2 )**

No well records received for the month of May 2022.

**CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for MAY 2022 (2 ) YTD: (13)**

Charlton, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair, C of C #3252 was issued on May 31, 2022.

Bjorkedal, Block 8, Lot 3.01, 7 Cherry Lane, Septic Repair, C of C #3253 was issued on May 31, 2022.

**SEPTIC/WELL PERMITS ISSUED: Total for MAY 2022 ( 5) YTD: (8)**

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Septic Alteration Permit #3248 was issued on May 11, 2022.

AJH Construction, Block 35, Lot 21.10, 19 Country Drive, Septic Repair Permit #3249 was issued on May 17, 2022.

Hercules Septic/Sewer, Block 6, Lot 9.03, 1 Holly Hill Lane, Septic Repair Permit #3252 was issued on May 18, 2022.

Beachstone Septic, Block 8, Lot 3.01, 7 Cherry Lane, Septic Repair Permit #3253 was issued on May 23,

2022.

Hercules Septic/Sewer, 58 Lake Trail East, Block 44, Lot 11, Septic Repair Permit #3250 was issued on May 24, 2022.

**RETAIL FOOD LICENSES – Total for *APRIL 2022* (15) Total for YTD: (16)**

Kemmerer Library, Risk Type 1, 19 Village Road, was issued on May 3, 2022.

Amenibean, Risk Type 3, 995 Mt. Kemble Avenue, was issued on May 3, 2022.

Green Village United Methodist Church, Risk Type 1, 500 Spring Valley Road was issued on May 9, 2022.

Kemmerer Library, Temporary Event License was issued on May 12, 2022 for their Art In Bloom Event being held on May 21, 2022.

Church of Christ the King, Risk Type 2, 16 Blue Mill Road was issued on May 12, 2022.

Mashio's Food Service, Risk Type 3, 34 Lee's Hill Road (Harding Twp School) was issued on May 12, 2022.

Great Swamp Watershed Association, Risk Type 2, 568 Tempe Wick Road was issued on May 12, 2022.

New Vernon Volunteer Fire Department, Risk Type 2, 12 Village Road was issued on May 23, 2022.

Wightmans Farm, Risk Type 3, 1111 Mt. Kemble Avenue was issued on May 23, 2022.

McElroy Café, Risk Type 2, 1300 Mt. Kemble Avenue was issued on May 23, 2022.

Classic Café, Risk Type 2, 1200 Mt. Kemble Avenue was issued on May 23, 2022.

Mt. Kemble Lake Country Club, Risk Type 2, 3 Trails End was issued on May 24, 2022.

The Candy Store of Harding, Risk Type 2, 1007 Mt. Kemble Avenue was issued on May 25, 2022.

The Country Store Deli, Risk Type 3, 1098 Mt. Kemble Avenue was issued on May 25, 2022.

Minuteman Country Barbecue, Risk Type 3, 990 Mt. Kemble Avenue was issued on May 31, 2022.

**RETAIL FOOD INSPECTIONS – Total for *MAY 2022* (1) Total for YTD: (7)**

Art-In-Bloom, 93 Blue Mill Road, Temporary Event. Mr. Byrnes inspected the event on May 21, 2022, and provided a satisfactory inspection.

**PUBLIC BATHING LICENSES/INSPECTIONS – Total for *MAY 2022* (2) Total for YTD: (2)**

Mt. Kemble Beach, 3 Trails End, was inspected by Mr. Byrnes on May 16, 2022.

Dorset Hollow, Redner Road was inspected by Miss Meyers on May 26, 2022 and a satisfactory rating was issued.

**ENVIRONMENTAL WATER SAMPLE RESULTS: Total for *MAY 2022*: (0) YTD: (1)**

No environmental water samples were taken in the month of May 2022.

**PUBLIC HEALTH**

**VITAL STATISTICS:** One (5) marriage license(s) were received and one (4) were issued by Harding, one death notice(s) was received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp answered a marriage license question on May 2, 2022.



Health Department  
Monthly Report  
May 2022

Mrs. Sharp issued a certified copy of a marriage license on May 2, 2022.  
Mrs. Sharp conducted a marriage license on May 3, 2022.  
Mrs. Sharp issued a marriage license on May 9, 2022.  
Mrs. Sharp issued two marriage licenses on May 13, 2022.  
Mrs. Sharp issued a marriage license on May 23, 2022.  
Mrs. Sharp conducted a marriage license on May 27, 2022.  
Mrs. Sharp issued an amendment of a marriage license on May 2, 2022.

**INCIDENTS AND COMPLAINTS:**

Mrs. Sharp received a notice from the Harding Township Police Department regarding a dog bite on May 5, 2022. A notice was sent to the public health nurse and to Animal Control. The dog was not licensed with Harding Township and Mrs. Sharp sent a notice on May 5, 2022. The dog was licensed on May 10, 2022.

Mrs. Sharp received a complaint from a resident on May 4, 2022 regarding a fox in their yard with babies. Mrs. Sharp contacted Animal Control and they informed me to have the resident contact the NJ Wildlife. Mrs. Sharp notified the resident on May 4, 2022.

**COVID-19 UPDATE:**

Morris County case numbers are updated on this website in the afternoons on Monday-Friday. [2019 Novel Coronavirus Outbreak \(COVID-19\) – Morris County, NJ \(www.morriscountynj.gov\)](#)

**INQUIRIES-REQUESTS-COMPLAINTS:**

In **May 2022** the Health Department received **2** complaints for animal matters; **5** inquiries from residents regarding dog license applications, well water testing, and public health information; and **16** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

**Year-to-date 2022**, the Health Department responded to **95** combined complaints/inquiries/requests; as follows:

- 4 complaints
- 23 inquiries -- regarding home sales, dog licenses and well water testing
- \* 68 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

**ANIMAL CONTROL:**

**Dog Licenses**

During the month of **MAY 2022**, the Health Department issued 36 dog licenses during the month of May 2022. The fees to the State totaled \$58.20. For **MAY 2021** a total of 3 dog licenses were issued during the month of May with the fees to the State totaling \$9.60.

Year-to-date 2022, a total of 430 dogs have been licensed with four being service dogs.

Late notices were sent to over 100 residents at the end of April 2022 whose dogs have not been licensed for the year 2022.

<b><i>CORRESPONDENCE RECEIVED</i></b>
---------------------------------------

Beachstone Septic, Block 38, Lot 11, Pragels, 3 Lake Trail West, **Advanced Treatment Wastewater System.**

System is in Unsatisfactory Condition. The distribution box was installed backwards and is leaking.

Ever-Green Inspection Services, Block 46, Lot 12.03, Branosky, 33 Baileys Mill Road, On Site Wastewater Treatment System. System was found to be in Unsatisfactory Condition due to a garbage disposal in the kitchen sink.

Jet Environmental Treatment, Block 35.01, Lot 4, 920 Mt. Kemble Ave., LLC, **Advanced Treatment Wastewater System.** System was inspected on 5/19/2022.

Jet Environmental Treatment, Block 39, Lot 3, Addison, 25 Primrose Trail, **Advanced Treatment Wastewater System.** System was inspected on 5/19/2022

Jet Environmental Treatment, Block 40, Lot 5.01, Henriques, 65 Lake Trail West, **Advanced Treatment Wastewater System.** System was inspected on 5/19/2022

Jet Environmental System, Block 47, Lot 5, Goosay, 200 Lees Hill Road, **Advanced Treatment Wastewater System.** System was inspected on 5/19/2022



## MAY 2022 MONTHLY FINANCIAL REPORT

ACCOUNTS RECEIVED MONTHLY COMPARISON												
		Year to Year										
MONTH		2018	2019	2020	2021	2022	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED
JANUARY		\$ 11,022	\$ 13,797	\$12,950	\$ 10,623	\$5,104	14	15	15	2021	2022	
FEBRUARY		\$ 6,395	\$ 3,381	\$6,185	\$ 2,445	\$4,806	8	8	13	8	10	
MARCH		\$ 5,003	\$ 6,125	\$6,350	\$ 7,365	\$7,456	12	21	16	17	19	
APRIL		\$ 3,835	\$ 6,706	\$3,173	\$ 7,629	\$4,340	10	11	7	24	11	
MAY		\$ 13,782	\$ 7,431	\$8,829	\$ 7,543	\$8,744	19	19	13	21	13	
YEAR TO DATE		\$ 40,037	\$ 37,440	\$ 37,487	\$ 35,605	\$ 30,450	63	74	64	85	65	

DOG LICENSES	YTD 2018	YTD 2019	YTD 2020	YTD 2021	YTD 2022	Number of Licenses				
						2018	2019	2020	2021	2022
	\$ 9,856	\$ 9,539	\$ 8,687	\$ 9,279	\$ 8,695	502	498	440	468	430

# **Board of Health**

## **Formal Request for Extension of Septic Permit**

**(Requires BOH Approval)**

1. **Mr. Maddaluna, Shalebrook Drive, Block 32, Lot 1.25,  
First Septic Permit Extension Request.**





**TOWNSHIP OF HARDING  
BOARD OF HEALTH  
FORMAL REQUEST TO BOARD OF HEALTH FOR  
EXTENSION OF SEPTIC PERMIT**

21 Blue Mill Road, P.O. Box 666  
New Vernon, New Jersey 07976  
(973) 267-8000 Ext. 715

R# 8517

Application is made to the Board of Health for septic permit extension. Harding Township Code 422-23B – The Board of Health, in granting such extension, may impose additional conditions on the permit as may be appropriate taking into consideration newly adopted standards and practices. No more than two (2) one-year extensions may be granted.

**SITE INFORMATION:**

OWNER: Maddaluna BLOCK: 32 LOT: 1.25  
PROPERTY ADDRESS: Shalebrook Drive  
MAILING ADDRESS: 43 Wesley Ave, Bernardsville  
PHONE: 908 1295-5729 EMAIL: maddalunamodularso@yahoo.com

**PROJECT INFORMATION:**

Briefly describe the reason an extension is being requested: (you may submit a separate sheet)

Septic Extension - first

PROJECT ENGINEER: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
PHONE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

PROJECT CONTRACTOR: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
PHONE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

**OWNER CERTIFICATION:**

I am the owner of the subject property and I certify the submitted information is correct and understand my responsibilities to comply with applicable state and local regulations.

Owner's Signature: [Signature] Date: 5/03/02

**AGENT CERTIFICATION:**

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agent's Signature: \_\_\_\_\_ Date: \_\_\_\_\_