

TOWNSHIP OF HARDING
BOARD OF HEALTH
REGULAR MEETING
IN PERSON
SEPTEMBER 8, 2022 at 7:30 pm
21 Blue Mill Road, New Vernon, NJ

ADEQUATE NOTICE of this meeting of the Harding Township Board of Health was given as follows: On January 14, 2022, notice was sent to the *DAILY RECORD* and the *OBSERVER-TRIBUNE*, posted on the Bulletin Board in the Township Hall at 21 Blue Mill Road in Harding, NJ and filed with the Municipal Clerk.

AGENDA

(To the extent now known)

AGENDA ITEMS	Formal Action May Be Taken	
	Yes	No
1. Roll Call – Board Secretary		X
2. Acceptance of BOH Minutes		
* Regular Minutes, June 9, 2022	X	
3. Monthly Health Department Report		
* Monthly Report, June, July, & August 2022	X	
* Monthly Financial Report, June, July, & August 2022	X	
4. County of Morris Monthly Report of Activities for the Township of Harding		
* Monthly Report, June, July, & August 2022	X	
5. BOH 2023 Budget	X	
• Review of Proposed Expenditures		
6. Other matters that may come before the Board and Hearing Persons Present		
• 2023 Dog License Application Discussion	X	
7. Adjournment	X	

Board of Health Monthly Report

1. JUNE 2022 – Monthly w/Financial Report

HARDING TOWNSHIP HEALTH DEPARTMENT

MONTHLY REPORT

JUNE 2022

ENVIRONMENTAL HEALTH

INSPECTIONS: Septic System, Well Construction and Permeability Testing
Total for the Month JUNE 2022: (9) Year-to-Date: (87)

Carifa, Block 17, Lot 55, 7 Lee's Hill Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on June 7, 2022 with ROTH Engineering.

Gelband, Block, 50, Lot 8, 26 Long Hill Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on June 8, 2022 with Yannaccone Villa/Aldrich.

Szerlip, Block 54, Lot 13, 118 Pleasantville Road, Septic Repair. Mr. Byrnes witnessed the septic repair on June 22, 2022 with Mr. Ward Connon.

Heap, Block 9, Lot 17, 537 Spring Valley Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on June 23, 2022 with E2PM Engineers.

Pallone, Block 33, Lot 9.01, 41 Post House Road, Septic Repair. Mr. Byrnes witnessed the septic repair on June 23, 2022.

Gallo, Block 33.03, Lot 3, 5 Post House Road, Septic. Mr. Byrnes conducted an inspection of the bottom of the septic bed on June 27, 2022.

Faiella, Block 46, Lot 12.03, 33 Baileys Mill Road, Septic. Miss Meyers conducted an inspection of the septic on June 28, 2022.

Weichert, Block 13, Lot 1.01, 72 Woodland Road, Septic Repair. Mr. Byrnes witnessed the septic repair with Beachstone Septic on June 28, 2022.

Fennimore, Block 18, Lot 3.01, 7 Village Road, Septic Repair. Mr. Byrnes conducted an inspection of the septic repair on June 28, 2022 with Mr. James Fennimore.

PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for JUNE (13) YTD: (79)

Conway, Block 1, Lot 15, 93 Village Road, Variance Review. Miss Meyers reviewed the applicants and sent comments to the Board of Adjustment on June 14, 2022

Weichert, Block 13, Lot 1.01, 72 Woodland Road, Septic Repair. Mr. Byrnes witnessed the septic repair and issued the C of C #3261 on June 28, 2022.

Pagels, Block 38, Lot 11, 3 Lake Trail West, Septic Repair. Miss Meyers witnessed the septic repair and issued the C of C #3259 on July 19, 2022.

Michalak, Block 4, Lot 4, 229 Blue Mill Road, Variance Review. Miss Meyers reviewed the variance application and sent comments on

Szerlip, Block 54, Lot 13, 118 Pleasantville Road, Septic Repair. Mr. Byrnes witnessed the septic repair and issued the C of C #3258 on June 23, 2022.

Sandelands, Block 6, Lot 9.04, 11 Holly Hill Lane, Addition Review. In review by Mr. Byrnes.

Carifa, Block 55, Lot 7, 7 Lee's Hill Road, Septic Alteration. Mr. Byrnes reviewed the application and send comments on July 12, 2022. Awaiting revisions.

Pallone, Block 33, Lot 19.01, 41 Post House Road, Septic Repair. Mr. Byrnes witnessed the septic repair and issued C of C #3257 on June 23, 2022.

New Vernon Country Acres, Block 14, Lot 7, 118 Village Road, Addition Review. In review by Mr. Byrnes.

Fennimore Estate, Block 18, Lot 3.01, 7 Village Road, Septic Repair. Mr. Byrnes witnessed the septic repair and issued C of C #3262 on June 28, 2022.

Schiffman, Block 4, Lot 10.01, 42 Red Gate Road, New Construction Septic. Miss Meyers reviewed the application and sent approval on July 21, 2022.

Health Department
Monthly Report
June 2022

Kirby, Block 19, Lot 12.03, 45 Blue Mill Road, Septic Repair. Mr. Byrnes witnessed the septic repair and issued C of C #3264 on July 21, 2022.

Marano, Block 35, Lot 21.1, 19 Country Drive, Septic Alteration. Mr. Byrnes reviewed the septic application and issued comments on July 19, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM: MARCH 2022

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. **Awaiting architectural plans.**

HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR JUNE 2022:

Mr. Byrnes conducted a file review on June 1, 2022 for septic information pertaining to 7 Village Road.

Mrs. Sharp conducted an OPRA request for septic information on 8 Sutton Drive. The information was emailed on June 1, 2022.

Mrs. Sharp conducted an OPRA request for number of bedrooms and septic information on June 1, 2022. The information pertaining to 15 Trails End was emailed.

Mrs. Sharp conducted a file review on June 1, 2022 for septic information pertaining to 7 Village Road. The information was emailed.

Mrs. Sharp conducted a notary on June 3, 2022.

Mr. Byrnes met with Quikteks on June 7, 2022.

Mr. Byrnes conducted a file review for septic information on June 7, 2022 pertaining to 537 Spring Valley Road.

Mr. Byrnes conducted a file review for septic information on June 7, 2022 pertaining to 547 Spring Valley Road.

Mrs. Sharp conducted a file review on June 7, 2022 for septic information pertaining to 45 Morgan Drive. The information was emailed.

Mrs. Sharp conducted a file review on June 8, 2022 for septic information pertaining to 46 Morgan Drive. The information was emailed.

Mr. Byrnes conducted a file review on June 8, 2022 for septic information pertaining to 502 Van Bueren Road.

Mrs. Sharp conducted a notary on June 9, 2022.

Mrs. Sharp conducted an OPRA request on June 13, 2022 for septic information pertaining to 140 Lee's Hill Road. The information was emailed.

Mr. Byrnes attended a meeting on June 15, 2022 pertaining to 7 Lee's Hill Road.

Mrs. Sharp conducted a file review on 2 Hartley Farms Road with an attorney on June 22, 2022.

Mr. Byrnes conducted a file review for well and septic information for Block 52, Lot 3 on June 22, 2022.

Mrs. Sharp attended a staff meeting on June 23, 2022.

Mrs. Sharp conducted two separate notaries on June 28, 2022.

Mrs. Sharp conducted a notary on June 29, 2022.

Mrs. Sharp corresponded with Dr. Perez, Jr., Mrs. Gorman, and Mrs. Bella on health department matters throughout the month of June 2022.

SEPTIC TANK PUMP OUT PERMITS FOR JUNE – Total for Month: (40) YTD: (110)

The following septic tank pump out permits were received during the month of June 2022:

Horstmann Septic, Block 16, Lot 15, Conway, 93 Village Road, 2 tanks pumped on December 24, 2021.

Health Department
Monthly Report
June 2022

Horstmann Septic, Block 43, Lot 15, Murray, 63 Lake Trail East, 1 tank pumped on January 14, 2022.
Horstmann Septic, Block 4, Lot 15.02, Johnson, 46 Red Gate Road, 1 tank pumped on February 4, 2022.
Horstmann Septic, Block 1, Lot 8, Coates, 50 Kitchell Road, 1 tank pumped on February 26, 2022.
Horstmann Septic, Block 21, Lot 2.01, Smuckler, 71 Sand Spring Road, 4 tanks pumped on March 12, 2022.
Horstmann Septic, Block 19, Lot 13, Korn, 18 Sand Spring Road, 1 tank pumped on March 15, 2022.
Horstmann Septic, Block 33, Lot 7.06, Munther, 5 Baxter Farm Road, 1,500 gallons pumped on March 15, 2022.
Horstmann Septic, Block 17, Lot 9.02, Stehlgens, 26 Millbrook Road, 1,000 gallons pumped on February 22, 2022.
Horstmann Septic, Block 15, Lot 26.02, Morrison, 77 Millbrook Road, 4,000 gallons pumped on March 22, 2022.
Horstmann Septic, Block 4, Lot 8.01, Pierce, 18 Redgate Road, 5,000 gallons pumped on April, 7, 2022.
Horstmann Septic, Block 33.03, Lot 3.02, Monk Realty, 1095 Mt. Kemble Avenue, 2 tanks pumped on April 11, 2022.
Horstmann Septic, Block 32, Lot 1.17, Salas, 14 Peachcroft Road, 2 tanks pumped on May 4, 2022.
Horstmann Septic, Block 21, Lot 12, Brush, 22 Glen Alpin road, 2 tanks pumped on May 4, 2022.
Horstmann Septic, Block 53, Lot 11, Backshall, 26 Pleasantville Road, 1 tank pumped, call in.
Horstmann Septic, Block 15, Lot 25, Chambers, 87 Millbrook Road, 4 tanks pumped on June 2, 2022.
Horstmann Septic, Block 16, Lot 18.02, Zanelli, 16 Featherbed Lane, 2 tanks pumped on June 3, 2022, P#8552, routine maintenance.
Horstmann Septic, Block 32, Lot 1.23, Mielle, 9 Peachcroft Road, 1 tank pumped on June 3, 2022, P#8551, routine maintenance..
Horstmann Septic, Block 35, Lot 21.14, Borkan, 10 Cedar Hill Drive, 1 tank pumped on May 10, 2022, P#8541, call in.
Horstmann Septic, Block 18, Lot 3, Wentz, 9 Village Road, 3 tanks pumped on May 19, 2022, P#8548, routine maintenance.
Horstmann Septic, Block 49, Lot 24, Sanford, 32 Meadow Lane, 2 tanks pumped on May 24, 2022, P#8549, routine maintenance.
Horstmann Septic, Block 46, Lot 21, Chhawchharia, 51 Brook Drive, 3 tanks pumped on May 25, 2022, P#8550, routine maintenance.
Horstmann Septic, Block 49, Lot 43, Rizzo, 25 Morgan Dirve, 3 tanks pumped on June 6, 2022, P#8553, routine maintenance.
Horstmann Septic, Block 17, Lot 55.02, Koeneke, 22 Coppertree Lane, 3 tanks pumped on May 28, 2022, P#8554, routine maintenance.
Horstmann Septic, Block 33, Lot 4.01, Evans, 106 Colonial Drive, 1 tank pumped on May 31, 2022, P#8555, routine maintenance.
Horstmann Septic, Block 12, Lot 15, Chiarolanzio, 545 Green Village Road, 1 tank pumped on June 7, 2022, P#8559, routine maintenance.
Horstmann Septic, Block 32, Lot 9, Wightman Farms, 1111 Mt. Kemble Avenue, 1 tank pumped on June 7, 2022, P#8560, routine maintenance.
Horstmann Septic, Block 53, Lot 1.05, Demeter, 2 Pleasantville Road, 1 tank pumped on June 8, 2022, P#8561, routine maintenance.
Horstmann Septic, Block 26.03, Lot 15, Sameth, 15 Tall Pines Road, 1 tank pumped on May 31, 2022, routine maintenance.
Horstmann Septic, Block 33.03, Lot 4, Forte, 1103 Mt. Kemble Avenue, 1 tank pumped on June 1, 2022, routine maintenance.

Health Department
Monthly Report
June 2022

Peach Brothers, Block 51, Lot 3, Holman, 30 Lindsley Road, 1 tank pumped on June 8, 2022, P#8933, routine maintenance.
Peach Brother, Block 51, Lot 33, Smith, 66 Long Hill Road, 3 tanks pumped on June 21, 2022, P#8934, routine maintenance.
Horstmann Septic, Block 26.01, Lot 20, Kardos, 56 Anthony Wayne Road, 1 tank pumped on June 16, 2022, P#8562, routine maintenance.
Horstmann Septic, Block 11, Lot 3, Green Village Methodist Church, 500 Spring Valley Road, 1 tank pumped on June 17, 2022, P#8563, routine maintenance.
Horstmann Septic, Block 15, Lot 24, Briones, 55 Pleasantville Road, 2 tanks pumped on June 20, 2022, P#8564, routine maintenance.
Horstmann Septic, Block 17, Lot 48, Nichols, 33 Lees Hill Road, 2 tanks pumped on June 24, 2022, P#8565, routine maintenance.
Horstmann Septic, Block 17, Lot 16.02, Caden, 82 Millbrook Road, 3 tanks pumped on June 24, 2022, P#8566, pump issue.
Horstmann Septic, Block 16, Lot 13.02, Shea, 54 Blue Mill Road, 2 tanks pumped on June 24, 2022, P#8567, routine maintenance.
Peach Brothers, Block 28, Lot 3.02, Cruscs, 5 Military Hill Drive, 1 tank pumped on June 28, 2022, P#8935, routine maintenance.

WELL RECORDS: Total for JUNE 2022 (0) Year to Date: (2)

No well records received for the month of June 2022.

CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for JUNE 2022 (4) YTD: (17)

Pallone, Block 33, Lot 19.01, 41 Post House Road, Septic Repair, C of C #3257 was issued on June 23, 2022.
Szerlip, Block 54, Lot 13, 118 Pleasantville Road, Septic Repair, C of C #3258 was issued on June 23, 2022.
Fennimore, Block 18, Lot 3.01, 7 Village Road, Septic Repair, C of C #3262 was issued on June 28, 2022.
Weichert, Block 13, Lot 1.01, 72 Woodland Road, Septic Repair, C of C #3261 was issued on June 28, 2022.

SEPTIC/WELL PERMITS ISSUED: Total for JUNE 2022 (8) YTD: (16)

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic, P #3255 was issued on June 14, 2022.
Gallo, Block 33.03, Lot 3, 5 Post House Road, P #3260 was issued to Ward Connon on June 14, 2022.
Weichert, Block 13, Lot 1.01, 72 Woodland Road, Septic Repair, P#3261 was issued to Beachstone Septic on June 21, 2022.
Szerlip, Block 54, Lot 13, 118 Pleasantville Road, Septic Repair, P #3258 was issued to Ward Connon on June 22, 2022.
Pallone, Block 33, Lot 19.01, 41 Post House Road, Septic Repair, P #3257 was issued to Where Old Meets New on June 23, 2022.
Pagels, Block 38, Lot 11, 3 Lake Trail West, Septic Repair, P #3259 was issued to Peach Brothers on June 28, 2022.
Gates, Block 55, Lot 9, 31 Meyersville Road, Septic Alteration, P #3263 was issued on June 29, 2022.
Kirby, Block 19, Lot 12.03, 45 Blue Mill Road, Septic Repair, P #3264 was issued on June 30, 2022.

RETAIL FOOD INSPECTIONS – Total for JUNE 2022 (1) Total for YTD: (9)

United Methodist Church, 500 Spring Valley Road, Risk Type 1, was inspected by Miss Meyers on June 28, 2022. A satisfactory rating was issued.

RETAIL FOOD LICENSES – Total for JUNE 2022 (3) Total for YTD: (19)

Dominick's Pizza, Mt. Kemble Avenue, Risk Type 3, was issued their retail food license on June 6, 2022.
Jolie Life, 12 Village Road, Risk Type 3, was issued their retail food license on June 8, 2022.
Meade Vending, 19 Blue Mill Road, was issued their vending license on June 8, 2022.

PUBLIC BATHING LICENSES/INSPECTIONS – Total for June 2022 (3) Total for YTD: (5)

Harding Green Pool – Mr. Byrnes conducted a pre-operations inspections on June 8, 2022.
Harding Green Pool – Mr. Byrnes conducted an inspection of the pool on June 10, 2022 and a satisfactory rating was issued.
Harding Township Camp – Mr. Byrnes and Miss Meyers conducted a pre-operating inspection of the Harding Camp on June 21, 2022. A satisfactory rating was issued.

ENVIRONMENTAL WATER SAMPLE RESULTS: Total for JUNE 2022: (0) YTD: (1)

No environmental water samples were taken in the month of June 2022.

PUBLIC HEALTH

VITAL STATISTICS: One (5) marriage license(s) were received and two (2) were issued by Harding, one death notice(s) was received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp answered questions regarding how to obtain a certified copy of a marriage license on June 3, 2022.
Mrs. Sharp conducted three marriage license applications on June 10, 2022.
Mrs. Sharp issued three certified copies of a marriage license on June 13, 2022.
Mrs. Sharp issued two certified copies of a marriage license on June 13, 2022.
Mrs. Sharp issued a marriage license on June 28, 2022.
Mrs. Sharp issue two certified copies of a death certificate on June 29, 2022.
Mrs. Sharp issued the quarterly vital statistics report to the State on June 30, 2022.

INCIDENTS AND COMPLAINTS:

Mrs. Sharp received a notice from the Harding Township Police Department regarding a dog bite on June 25, 2022. A notice was sent to the public health nurse and to Animal Control. The dog was licensed with Harding Township.

Mrs. Sharp received an inquiry from the Harding Township Police Department regarding a loose dog found on June 22, 2022. Animal Control Solutions was notified and picked up the dog. The dog was released to its owners the next day.

Animal Control Solutions requested a license check for a dog at 17 Fawn Hill. Mrs. Sharp informed Animal Control Solution that the dog was licensed with Harding.

Mrs. Sharp received a complaint regarding raccoons on June 29, 2022. Mrs. Sharp spoke to Animal Control Solutions who contacted the resident on how to handle baby raccoons.

COVID-19 UPDATE:

Morris County case numbers are updated on this website in the afternoons on Monday-Friday. [2019 Novel Coronavirus Outbreak \(COVID-19\) – Morris County, NJ \(www.morriscountynj.gov\)](#)

INQUIRIES-REQUESTS-COMPLAINTS:

In **June 2022** the Health Department received **2** complaints for animal matters; **8** inquiries from residents regarding dog license applications, notary services, well water testing, and public health information; and **12** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

Year-to-date 2022, the Health Department responded to **117** combined complaints/inquiries/requests; as follows:

- 6 complaints
- 31 inquiries -- regarding home sales, dog licenses and well water testing
- * 80 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

ANIMAL CONTROL:

Dog Licenses

During the month of **JUNE 2022**, the Health Department issued 18 dog licenses during the month of June 2022. The fees to the State totaled \$30.60. For **JUNE 2021** a total of 8 dog licenses were issued during the month of June with the fees to the State totaling \$12.60.

Year-to-date 2022, a total of 448 dogs have been licensed with four being service dogs.

CORRESPONDENCE RECEIVED

Beachstone Septic, Block 38, Lot 11, Pragels, 3 Lake Trail West, **Advanced Treatment Wastewater System.** System is in Unsatisfactory Condition. The distribution box was installed backwards and is leaking.
Ever-Green Inspection Services, Block 46, Lot 12.03, Branosky, 33 Baileys Mill Road, On Site Wastewater Treatment System. System was found to be in Unsatisfactory Condition due to a garbage disposal in the kitchen sink.

Save the Date

Reserve your spot today!

www.surveymonkey.com

[/r/5L8QJR8](https://r/5L8QJR8)



Brought to you by Get Busy Living Morris County

FAMILY DAY CAMP

Calling all families!
Join us for a morning of fun,
fitness, and family events. Strap
on your sneakers and join our
team as we seize the day!
GET BUSY LIVING and close out
Summer 2022 as a community!

August 30th

GET BUSY LIVING MORRIS COUNTY



Atlantic
Health System

Morristown Medical Center Public Health



Board of Health Monthly Report

1. JULY 2022 – Monthly w/Financial Report

HARDING TOWNSHIP HEALTH DEPARTMENT

MONTHLY REPORT

JULY 2022

ENVIRONMENTAL HEALTH

INSPECTIONS: Septic System, Well Construction and Permeability Testing
Total for the Month JULY 2022: (10) Year-to-Date: (97)

Gates, Block 55, Lot 9, 31 Meyersville Road, Septic. Mr. Byrnes conducted an inspection of the suitable fill on July 1, 2022.

McCann, Block 16, Lot 13.06, 63 Village Road, Septic. Mr. Byrnes conducted an inspection of the bottom of the bed on July 1, 2022.

Hamilton, Block 34, Lot 2.01, 21 Primrose Trail, Permeability Testing. Mr. Byrnes witnessed the permeability testing on July 7, 2022.

Pitney, Block 48, Lot 8.01, 34 Hunter Drive, Septic. Mr. Byrnes conducted an inspection of the bed excavation on July 15, 2022.

Pitney, Block 48, Lot 8.01, 34 Hunter Drive, Septic. Mr. Byrnes conducted an inspection of the suitable fill on July 19, 2022.

Kirby, Block 19, Lot 12.03, 45 Blue Mill Road, Septic Repair. Mr. Byrnes witnessed the septic repair on July 21, 2022.

Pitney, Block 48, Lot 8.01, 34 Hunter Drive, Septic. Mr. Byrnes conducted an inspection of the stones and pipe on July 22, 2022.

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic. Mr. Byrnes witnessed the bed excavation on July 22, 2022.

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic. Mr. Byrnes witnessed the septic vacuum test on July 26, 2022.

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic. Mr. Byrnes conducted an inspection of the suitable fill on July 28, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for JULY (8) YTD: (87)

Goldberg, Block 17, Lot 54, 19 Lee's Hill Road, Addition Review. In review by Miss Meyers.

O'Connor, Block 18, Lot 3.01, 7 Village Road, Septic Repair. Mr. Byrnes issued permit #3266 on July 15, 2022.

Scrudato, Block 51, Lot 8, 137 Lee's Hill Road, Well Repair. Mr. Byrnes issued permit #3267 on July 28, 2022.

Sabol, Block 36, Lot 2, 2 Primrose Trail, Septic Repair. Mr. Byrnes issued permit #3268 on July 28, 2022.

Marano, Block 35, Lot 21.1, 19 Country Drive, Revised Septic Alteration-No Expansion. In review by Mr. Byrnes.

O'Sullivan, Block 8, Lot 11, 142 Blue Mill Road, Well Repair-As-Built. In review by Mr. Byrnes.

Lewis, Block 5, Lot 2, 523 Van Beuren Road, Septic As-Built. In review by Mr. Byrnes.

O'Sullivan, Block 8, Lot 11, 142 Blue Mill Road, Septic As-Built. In review by Mr. Byrnes.

PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM: MARCH 2022

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. **Awaiting architectural plans.**

HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR JULY 2022:

Mr. Byrnes attended a meeting on July 1, 2022 with the Construction Official and a resident to discuss their property.

Mr. Byrnes conducted a file review on July 1, 2022 for information pertaining to Lewis Morris Park.

Mrs. Sharp conducted an OPRA request for septic information pertaining to 8 Sutton Drive. The information was provided on July 6, 2022.

Mrs. Sharp conducted an OPRA request for number of bedrooms on July 6, 2022 pertaining to 44 Young's Road. The property is a three bedroom dwelling.

Mrs. Sharp conducted an OPRA request for septic information pertaining to 93 Pleasantville Road. The information was emailed on July 13, 2022.

Mrs. Sharp conducted an OPRA request on July 13, 2022 for septic information pertaining to 12 Fawn Hill. The information was emailed.

Mr. Byrnes conducted a file review on July 21, 2022 for septic information pertaining to Block 3, Lot 3.01.

Mr. Byrnes conducted a file review for 12 Fawn Hill Drive on July 25, 2022.

Mr. Byrnes conducted a file review for 137 Lee's Hill Road on July 25, 2022.

Mr. Byrnes attended a meeting on July 23, 2022 pertaining to 53 Lake Trail East.

Mrs. Sharp conducted an OPRA request on July 25, 2022 for septic information pertaining to 153 Pleasantville Road. The information was emailed.

Mrs. Sharp conducted an OPRA request for septic information pertaining to 137 Lee's Hill Road on July 25, 2022. The information was emailed.

Mrs. Sharp conducted a notary on July 27, 2022.

Mrs. Sharp conducted an OPRA request for septic information pertaining to 18 Gleneagles Drive on July 28, 2022. The information was emailed.

Mrs. Sharp conducted two separate notaries on July 28, 2022.

Mrs. Sharp corresponded with Dr. Perez, Jr., Mrs. Gorman, and Mrs. Bella on health department matters throughout the month of June 2022.

SEPTIC TANK PUMP OUT PERMITS FOR JULY – Total for Month: (0) YTD: (110)

No septic pump outs were received during the month of July 2022.

WELL RECORDS: Total for JULY 2022 (0) Year to Date: (2)

No well records received for the month of July 2022.

CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for JULY 2022 (3) YTD: (20)

Pagels, Block 38, Lot 11, 3 Lake Trail West, Septic Repair, C of C #3259 was issued on July 19, 2022.

Kirby, Block 19, Lot 12.03, 45 Blue Mill Road, Septic Repair, C of C #3264 was issued on July 21, 2022.

O'Sullivan, Block 8, Lot 11, 142 Blue Mill Road, Septic Alteration, C of C #3092 was issued on July 29, 2022.

SEPTIC/WELL PERMITS ISSUED: Total for JULY 2022 (4) YTD: (20)

O'Connor, Block 18, Lot 3.01, 7 Village Road, Septic Repair, P #3266 was issued on July 15, 2022.

Pitney, Block 48, Lot 8.01, 34 Hunter Drive, Septic Alteration, P # was issued on July 14, 2022.

Earthcare, Block 36, Lot 2, 2 Primrose Trail, Septic Repair, P#3268 was issued on July 28, 2022.
Gould, Block 51, Lot 8, 137 Lee's Hill Road, Well Repair, P #3267 was issued on July 28, 2022.

RETAIL FOOD INSPECTIONS – Total for JULY 2022 (0) Total for YTD: (9)

No retail food establishments inspected in the month of July.

RETAIL FOOD LICENSES – Total for JULY 2022 (0) Total for YTD: (19)

No retail food licenses were issued during the month of July 2022.

PUBLIC BATHING LICENSES/INSPECTIONS – Total for JULY 2022 (0) Total for YTD: (5)

No bathing establishments inspected during the month of July 2022.

ENVIRONMENTAL WATER SAMPLE RESULTS: Total for JULY 2022: (1) YTD: (2)

Municipal Building, Block 19, Lot 12.07, 21 Blue Mill Road. Mrs. Sharp conducted a water sample for the Municipal Building for coliform bacteria on July 6, 2022. A satisfactory rating was issued on July 8, 2022.

PUBLIC HEALTH

VITAL STATISTICS: Two (2) marriage license(s) were received and one (1) was issued by Harding, one death notice(s) was received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp received notice from the State on July 1, 2022 that the Governor signed PL 2022 c. 23 on June 30, 2022 that waived marriage license fees from July 1, 2022 through June 30, 2023. The State will reimburse Municipalities for the license fees suspended during this period.

Mrs. Sharp received two marriage licenses on July 6, 2022.

Mrs. Sharp answered a certified copy question on July 6, 2022.

Mrs. Sharp answered a certified copy question on July 7, 2022.

Mrs. Sharp issued five certified copies of a marriage license on July 25, 2022.

Mrs. Sharp conducted a marriage license on July 28, 2022.

Mrs. Sharp answered two certified copy questions on July 29, 2022.

INCIDENTS AND COMPLAINTS:

Mrs. Sharp received a notice from the Morris Animal Inn regarding an employee bit by a dog on July 29, 2022. Mrs. Sharp notified the public health nurse and Animal Control. Since the dog was not a Harding licensed dog, Animal Control said to notify Edison Health Department of the bite.

Mrs. Sharp received notice from the Harding Township Police Department of a dog bite on July 30, 2022. The dog was quarantined for ten days. Mrs. Sharp notified the public health nurse and Animal Control. The dog was licensed with Harding and rabies is current.

COVID-19 UPDATE:

Morris County case numbers are updated on this website in the afternoons on Monday-Friday. [2019 Novel Coronavirus Outbreak \(COVID-19\) – Morris County, NJ \(www.morriscountynj.gov\)](#)

INQUIRIES-REQUESTS-COMPLAINTS:

In **July 2022** the Health Department received **2** complaints for animal matters; **3** inquiries from residents regarding, notary services, well water testing, and public health food information; and **12** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

Year-to-date 2022, the Health Department responded to **117** combined complaints/inquiries/requests; as follows:

- 6 complaints
- 31 inquiries -- regarding home sales, dog licenses and well water testing
- * 80 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

ANIMAL CONTROL:

Dog Licenses

During the month of **JULY 2022**, the Health Department issued 9 dog licenses during the month of July 2022. The fees to the State totaled \$16.20. For **JULY 2021** a total of 3 dog licenses were issued during the month of June with the fees to the State totaling \$3.60.

Year-to-date 2022, a total of 457 dogs have been licensed with five being service dogs and two being replacement licenses for lost tags.

Animal Control Solutions requested a dog license check for two dogs located on Ravenswood on July 28, 2022. Mrs. Sharp informed Animal Control that the dogs are not licenses with Harding and a letter requesting immediate licensing was issued on July 29, 2022.

Animal Control Solution requested a dog license check for a dog on July 30, 2022. Mrs. Sharp informed Animal Control that the dog was licensed with Harding.

CORRESPONDENCE RECEIVED

No correspondence received for the month on July 2022.

Board of Health Monthly Report

- 1. AUGUST 2022 – Monthly w/Financial
Report**

HARDING TOWNSHIP HEALTH DEPARTMENT

MONTHLY REPORT

AUGUST 2022

ENVIRONMENTAL HEALTH

INSPECTIONS: Septic System, Well Construction and Permeability Testing

Total for the Month AUGUST 2022: (9) Year-to-Date: (106)

McCann, Block 16, Lot 13.06, 63 Village Road, Septic. Mr. Byrnes conducted an inspection of the suitable fill on August 4, 2022.

O'Connor, Block 18, Lot 3.01, 7 Village Road, Septic Repair. Mr. Byrnes conducted an inspection of the septic repair on August 11, 2022 and completed the inspection later that afternoon.

Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic Alteration. Mr. Byrnes witnessed the pressure test on August 15, 2022.

Sabol, Block 36, Lot 2, 2 Primrose, Septic Repair. Mr. Byrnes witnessed the septic repair on August 16, 2022.

LHF Partners, LLC, Block 49, Lot 11, 88 Lee's Hill Road, New Well. Miss Meyers conducted an inspection of the well on August 22, 2022.

Kim, Block 18, Lot 11, 6 Blue Mill Road, Permeability Testing. Miss Meyers witnessed the permeability testing on August 24, 2022.

Conger, Block 17, Lot 54, 19 Lee's Hill Road. Mr. Byrnes witnessed the pressure test on August 30, 2022.

Dirienzo, Block 51, Lot 20.02, 235 Lee's Hill Road, Septic Repair. Mr. Byrnes witnessed the septic repair on August 31, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for AUGUST (11) YTD: (98)

Wentworth, Block 22, Lot 3, 29 Sand Spring Road, New Septic. In review by Miss Meyers.

Dominquez, Block 49, Lot 14.03, 25 Glen Alpin Road, Septic Repair. In review by Mr. Byrnes.

Dominquez, Block 49, Lot 14.03, 25 Glen ALpin Road, Addition Review. Mr. Byrnes reviewed the application and sent approval on August 18, 2022.

Alin, Block 47, Lot 9.01, 140 Lee's Hill Road, Septic Repair. Miss Meyers witnessed the repair and issued the C of C #3270 on August 30, 2022.

Kazanecki, Block 17, Lot 40.04, 15 Maryknoll Drive, Addition Review. Miss Meyers revised the application and sent approval on August 23, 2022.

Gallo, Block 33.03, Lot 3, 5 Post House Road, Septic As-Built. Miss Meyers reviewed the septic as built and sent approval on August 16, 2022.

Mezzalingua, Block 49, Lot 11, 88 Lee's Hill Road. Miss Meyers conducted an inspection of the new irrigation well on August 22, 2022.

Gutjahr, Block 8, Lot 5, 27 Cherry Lane, New Septic. In review by Mr. Byrnes.

Kurz, Block 15, Lot 22, 12 Wildlife Run, Septic Repair. In review by Miss Meyers.

McCann, Block 16, Lot 13.06, 63 Village Road, Addition Review. In review by Mr. Byrnes.

DiRienzo, Block 51, Lot 20.02, 235 Lee's Hill Road, Septic Repair. Mr. Byrnes issued permit #3271 on August 20, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM: MARCH/JULY 2022

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. **Awaiting architectural plans.**

O'Sullivan, Block 8, Lot 11, 142 Blue Mill Road, Septic As-Built. Mr. Byrnes reviewed the septic as-built and issued the C of C #3092 on July 29, 2022.

Marano, Block 35, Lot 21.1, 19 Country Drive, Revised Septic Alteration-No Expansion. Mr. Byrnes

reviewed the revised application and sent approval on September 1, 2022.
O'Sullivan, Block 8, Lot 11, 142 Blue Mill Road, Well Repair-As-Built. In review by Mr. Byrnes.
Lewis, Block 5, Lot 2, 523 Van Beuren Road, Septic As-Built. In review by Mr. Byrnes.
Goldberg, Block 17, Lot 54, 19 Lee's Hill Road, Addition Review. In review by Miss Meyers.

HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR AUGUST 2022:

Mrs. Sharp conducted an OPRA request for septic information from Ever-Green Septic Inspectors for 2 Country Drive on August 3, 2022. Mrs. Sharp sent the information by email.
Mrs. Sharp received an email regarding information on 18 Gleneagles Drive on August 5, 2022. The septic information was emailed.
Mrs. Sharp conducted an OPRA request for information pertaining to 970 Mt. Kemble Avenue. The septic information was emailed.
Mrs. Sharp received an OPRA request from Gould Well/Pump for well records for 10 Hartley Farms Road. The information was emailed on August 10, 2022.
Mrs. Sharp received an OPRA request for septic information pertaining the 14 Sand Spring Lane. The information was emailed on August 10, 2022.
Mrs. Sharp received an OPRA request on August 11, 2022 from Ever-Green Septic Inspection for septic information on 21 Kennedy Lane. The information was emailed.
Mrs. Sharp attended a Municipal Clerks class on August 15, 2022.
Mrs. Sharp received an OPRA request from a resident pertaining to 3 Shalebrook Drive on August 17, 2022. Mrs. Sharp responded by email that 3 Shalebrook Drive has permits from NJDEP and the Health Department regarding a septic system.
Mrs. Sharp received an OPRA request for septic information pertaining to 28 Young's Road on August 17, 2022. The information was emailed.
Mrs. Byrnes conducted a file review on August 18, 2022 for septic information pertaining to 12 Wildlife Run.
Mrs. Sharp received an OPRA request from Bob Rutan, Septic inspector, for septic information on 7 Lee's Hill Road. The information was emailed.
Mrs. Sharp received an OPRA request from Houser Engineering for septic information pertaining to the following; Block 28, Lots 3.03, 3.04, 3.05, 3.06, 3.07, and 4; Block 49, Lot 1. The information was emailed on August 23, 2022.
Mrs. Sharp attended the OEM meeting along with Sephanie Gorman, Assistant Health Officer, on August 25, 2022, regarding a training event being held at the Harding School on October 22, 2022. Mr. Byrnes and Miss Meyers will be involved in the training event.
Mrs. Sharp conducted an OPRA request for information on 126 Village Road. Mrs. Sharp emailed that there was no information on August 25, 2022.
Mrs. Sharp conducted a file review with Mr. Mark Patalive on August 31, 2022 for 44 Young's Road. The information was forwarded by way of email.
Mrs. Sharp corresponded with Dr. Perez, Jr., Mrs. Gorman, and Mrs. Bella on health department matters throughout the month of June 2022.

SEPTIC TANK PUMP OUT PERMITS FOR AUGUST – Total for Month: (19) YTD: (129)

Coppola Services, Block 46.01, Lot 10, McElroy, Deutsch, Mulvaney & Carpenter, 1300 Mt. Kemble Avenue, 1 tank pumped on June 11, 2022, P#8333, routine maintenance.
Coppola Services, Block 15, Lot 27.02, Rose, 55 Millbrook Road, 1 tank pumped on June 27, 2022, P#8335,

Health Department
Monthly Report
August 2022

routine maintenance.
Peach Brothers, Block 26.01, Lot 17, Papadopoulos, 38 Anthony Wayne Road, 1 tank pumped on July 29, 2022, P#8936, routine maintenance.
Horstmann Septic, Block 35, Lot 21.09. Mendez, 20 Country Drive, 2 tanks pumped on June 30, 2022, P#8568, routine maintenance.
Horstmann Septic, Block 44, Lot 16, Vaska, 21 Alpine Trail, 1 tank pumped on July 5, 2022, P#8569, routine maintenance.
Horstmann Septic, Block, 33, Lot 11, Allen, 19 Deer Ridge Drive, 1 tank pumped on July 5, 2022, P#8570, routine maintenance.
Horstmann Septic, Block 36, Lot 13, Fitzhugh, 44 Primrose Trail, 1 tank pumped on June 27, 2022, P#8571, routine maintenance.
Horstmann Septic, Block 2, Lot 11, Cameron, 8 Spring House Lane, 3 tanks pumped on July 7, 2022, P#8572, routine maintenance.
Horstmann Septic, Block 10, Lot 2, Dickson, 72 Dickson Mill Road, 1 tank pumped on July 16, 2022, P#8573, routine maintenance.
Horstmann Septic, Block 17, Lot 41, Van Doren, 37 Long Hill Road, 2 tanks pumped on July 15, 2022, P#8574, routine maintenance.
Horstmann Septic, Block 5, Lot 7.01, Williamson, 609 Van Beuren Road, 1 tank pumped on July 18, 2022, P#8575, routine maintenance.
Horstmann Septic, Block 33.03, Lot 16, Bigler, 29 Post House Road, 3 tanks pumped on July 21, 2022, P#8576, routine maintenance.
Horstmann Septic, Block 48, Lot 8.06, Werring, 33 Hunter Drive, 1 tank pumped on July 28, 2022, P#8577, routine maintenance.
Horstmann Septic, Block 51.01, Lot 16, McRae, 15 Fox Hunt Road, 3 tanks pumped on July 28, 2022, P#8578, routine maintenance.
Horstmann Septic, Block 17, Lot 11.01, Brill, 44 Millbrook Road, 2 tanks pumped on August 1, 2022, P#8579, routine maintenance.
Horstmann Septic, Block 25.02, Lot 10.04, Pacchiano, 23 Ravenswood Road, 2 tanks pumped on August 4, 2022, P#8550, routine maintenance.
Coppola Services, Block 46.01, Lot 10, McElroy, Deutsch, Mulvaney & Carpenter, 1300 Mt. Kemble Avenue, 1 tank pumped on July 16, 2022, P#8336, routine maintenance.
Cedar Ridge, Block 11, Lot 4.01, Packie, 494 Spring Valley Road, 1 tank pumped on August 22, 2022, P#8954, routine maintenance.
Cedar Ridge, Block 56, Lot 5, Frascella, 82 Meyersville Road, 2 tanks pumped on August 22, 2022, P#8955, routine maintenance.

WELL RECORDS: Total for <i>AUGUST 2022</i> (0) Year to Date: (2)
--

No well records received for the month of August 2022.

SEPTIC/WELL PERMITS ISSUED: Total for <i>AUGUST 2022</i> (3) YTD: (23)

Thunder Dragon, Block 4, Lot 10.01, 42 Red Gate Road, Septic Alteration, P #3269 was issued on August 11, 2022.
Alin, Block 47, Lot 9.01, 140 Lee's Hill Road, Septic Repair, P #3270 was issued on August 23, 2022.
DiRienzo, Block 51, Lot 20.02, 235 Lee's Hill Road, Septic Repair, P #33271 was issued on August 30, 2022.

CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for *AUGUST 2022* (3) YTD: (23)

O'Connor, Block 18, Lot 3.01, 7 Village Road, Septic Repair, C of C #3266 was issued on August 11, 2022.
Gallo, Block 33.03, Lot 3, 5 Post House Road, Septic Alteration, C of C #3260 was issued on August 16, 2022.
Alin, Block 47, Lot 9.01, 140 Lee's Hill Road, Septic Repair, C of C #3270 was issued on August 30, 2022.

RETAIL FOOD INSPECTIONS – Total for *AUGUST 2022* (1) Total for YTD: (10)

Jolie Life, 12 Village Road, Risk Type 3. Miss Meyers conducted a retail food inspection on August 22, 2022 and issued a Conditional Satisfactory. The next inspection will be in several weeks.

RETAIL FOOD LICENSES – Total for *AUGUST 2022* (4) Total for YTD: (23)

Pizza Vita Food Truck for one day event in Harding Township scheduled for September 1, 2022 from 6 to 8 pm. Mr. Byrnes will conduct the retail food inspection on September 1, 2022.

Scream Truck for one day event in Harding Township scheduled for September 1, 2022 from 6 to 8 pm. Mr. Byrnes will conduct the retail food inspection on September 1, 2022.

Dellano's Food Truck weekend events at Wightman's Farm from September 10, 2022 till October 30, 2022.

Country Mile Deli, 1098 Mt. Kemble Avenue, Risk Type 3 license was issued on August 22, 2022 to the new owner of the establishment.

PUBLIC BATHING LICENSES/INSPECTIONS – Total for *AUGUST 2022* (1) Total for YTD: (6)

Dorsett Hollow, Redner Road, Operational Inspection. Miss Meyers conducted an operational inspection on August 16, 2022. A satisfactory rating was issued.

ENVIRONMENTAL WATER SAMPLE RESULTS: Total for *AUGUST 2022*: (0) YTD: (2)

No environmental water samples were conducted in August 2022. The next quarterly water sample for the Municipal Building is scheduled for September 2022.

PUBLIC HEALTH

VITAL STATISTICS: Two (2) marriage license(s) were received and one (1) was issued by Harding, one death notice(s) was received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp conducted a marriage license application on August 1, 2022.
Mrs. Sharp issued a marriage license on August 2, 2022.
Mrs. Sharp answered several questions pertaining to a certified copy of a marriage license on August 2, 2022.
Mrs. Sharp answered several questions on how to obtain a marriage license on August 3, 2022.
Mrs. Sharp answered several questions on how to obtain a marriage license on August 4, 2022.

Mrs. Sharp issued a marriage license on August 8, 2022.

Mrs. Sharp attended a Registrar webinar on August 16, 2022 for 1 license credit.

Mrs. Sharp attended a Registrar webinar on August 24, 2022 for 1 license credit.

Mrs. Sharp received notice from the State on July 1, 2022 that the Governor signed PL 2022 c. 23 on June 30, 2022 that waived marriage license fees from July 1, 2022 through June 30, 2023. The State will reimburse Municipalities for the license fees suspended during this period.

INCIDENTS AND COMPLAINTS:

Mrs. Sharp received notification of a dog bite on August 2, 2022 at the Morris Animal Inn. The information was sent to Animal Control and the Public Health Nurse. Since the dog was not from Harding the appropriate Health Department was notified in Edison, NJ.

Mrs. Sharp received notice from the Harding Township Police Department on August 16, 2022 of a dog bite on August 14, 2022. The dog was quarantined for ten days. Mrs. Sharp notified the public health nurse and Animal Control. Animal Control Solutions is trying to contact the resident who lives in Harding. The dog rabies are current but Mt. Pleasant, SC.

Mrs. Sharp received notice of a second dog bite at the Morris Animal Inn. As the dog is not a Harding Township resident dog, the information was sent to the appropriate Health Department.

Mrs. Sharp received notice of a dog bite from the Harding Township Police Department on August 24, 2022. Mrs. Sharp notified the Public Health Nurse and Animal Control Solutions. The dog was not licensed and Mrs. Sharp issued a letter to license the dog within seven days of receipt of the notification. Mrs. Sharp received notice from the resident on August 30, 2022 that the dog just received an update rabies vaccination and that the paper work to license the dog was placed in the mail.

COVID-19 UPDATE:

Morris County case numbers are updated on this website in the afternoons on Monday-Friday. [2019 Novel Coronavirus Outbreak \(COVID-19\) – Morris County, NJ \(www.morriscountynj.gov\)](https://www.morriscountynj.gov/2019-Novel-Coronavirus-Outbreak-(COVID-19)-Morris-County-NJ)

The Health Department will hold their annual influenza vaccination clinic on October 4, 2022 from 3 to 6 pm. Atlantic Health will be administering the flu shots along with booster COVID-19 vaccinations. The flu clinic is open to seniors 65 and up, employees, current volunteer fire department personnel and first aid squad personnel, and police. Mrs. Sharp sent information to be placed in the Thumbnail.

INQUIRIES-REQUESTS-COMPLAINTS:

In **August 2022** the Health Department received **4** complaints for animal matters; **2** inquiries from residents regarding, notary services, well water testing, and public health food information; and **13** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

Year-to-date 2022, the Health Department responded to **136** combined complaints/inquiries/requests; as follows:

- 10 complaints – dog bites
- 33 inquiries -- regarding home sales, dog licenses and well water testing

- * 93 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

ANIMAL CONTROL:

Dog Licenses

During the month of **AUGUST 2022**, the Health Department issued 4 dog licenses during the month of August 2022. The fees to the State totaled \$4.80. For **AUGUST 2021** a total of 2 dog licenses were issued during the month of June with the fees to the State totaling \$5.40.

Year-to-date 2022, a total of 461 dogs have been licensed with five being service dogs and two being replacement licenses for lost tags.

Animal Control Solutions requested a dog license check for two dogs located on Ravenswood on July 28, 2022. Mrs. Sharp informed Animal Control that the dogs are not licenses with Harding and a letter requesting immediate licensing was issued on July 29, 2022. **A second letter will be issued as the resident has not responded to the first letter. A violation could be issued for non-compliance.**

CORRESPONDENCE RECEIVED

Cold Creek Environmental Services, Block 14, Lot 3.01, Kintiroglou, 147 Pleasantville Road, **Advanced Treatment Wastewater System**. System was inspected on December 6, 2021 and the air blower was replaced February 24, 2022.

Septic Services, Block 56, Lot 5, Cheroff, 82 Meyersville Road, **Advanced Treatment Wastewater System**. System was inspected on June 24, 2022.

Ever-Green Inspection Services, Block 26, Lot 14, Sethy, 21 Kennedy Lane, On-site Wastewater Treatment System. System was inspection on August 15, 2022. System was found be in Unsatisfactory Condition when a camera was run through the conveyance line and was stopped by sludge. It is recommended that a riser be installed over the treatment tank.

Tri State Pump & Septic Supply, Block 17, Lot 2, Grather, 10 Millbrook Road, **Advanced Treatment Wastewater System**, termination of agreement for the PURAFLO treatment system.

Tri State Pump & Septic Supply, Block 10, Lot 12, McClay, 215 Village Road, **Advanced Treatment Wastewater System**, termination of agreement for the ECOPOD treatment system.

Tri State Pump & Septic Supply, Block 36, Lot 24, Stires, 78 Primrose Trail, **Advanced Treatment Wastewater System**, termination of agreement for the ECOPOD treatment system.

Tri State Pump & Septic Supply, Block 17, Lot 23, Ferolito, 29 Pleasantville Road, **Advanced Treatment Wastewater System**, termination of agreement for the PURAFLO treatment system.

Cold Creek Environmental Services, Block 36, Lot 24, Stires, 78 Primrose Trail, **Advanced Treatment Wastewater System**, after inspections, it is recommended that the septic and treatment tank be pumped.

Ever-Green Inspection Services, Block 26, Lot 14, Sethy, 21 Kennedy Lane, On-site Wastewater Treatment System. System was inspection on August 30, 2022. System was found be in Unsatisfactory Condition the conveyance line from treatment tank to the d-box has sludge causing liquids to pond in the line. The distribution box show deterioration.

Cold Creek Environmental Services, Block 55, Lot 2, Herth, 79 Meyersville Road, **Advanced Treatment Wastewater System**. System was inspected on August 26, 2022 and the system is working as designed.

Cold Creek Environmental Services, Block 10, Lot 5, Boccella, 78 Dicksons Mill Road, **Advanced Treatment Wastewater System**. System was inspected on August 26, 2022 and the system is working as designed.

Health Department
Monthly Report
August 2022

Cold Creek Environmental Services, Block 41, Lot 2.01, Lukacs, 2 Lake Trail West, **Advanced Treatment Wastewater System**. System was inspected on August 26, 2022 and is working as designed.

Cold Creek Environmental Services, Block 2, Lot 11.01, Czarny, 2 Spring House Lane, **Advanced Treatment Wastewater System**. System was inspected on August 26, 2022 and is working as designed.

Ever Green Inspections Services, Block 35, Lot 21.07, Murray, 2 Country Drive, Wastewater Treatment System

A. The system was inspected on August 30 & 31, 2022. The system was found to be in Unsatisfactory Condition. The conveyance line from treatment tank to distribution box has a separation in the line and the distribution box is deteriorated.

Ever Green Inspections Services, Block 35, Lot 21.07, Murray, 2 Country Drive, Wastewater Treatment System

B. The system was inspected on August 30 & 31, 2022 and was found to be in Unsatisfactory Condition. The plastic lid over the tank should be properly secured.

AUGUST 2022 MONTHLY FINANCIAL REPORT																			
PAYOR	BLOCK	LOT	ADDRESS	Addition Review (\$175)	Variance \$100 or Sub-Division Review (\$250 + 75 each add'l lot)	BOH WAIVER (\$175)	SEPTIC REVIEW/PERMIT FEE - New Constr (\$1,200)	Food License (\$25, \$35, \$100, \$175, \$275, \$375, \$475) Temp Food Lic \$50	Soil Investigation (\$275)	Septic Review/Permit Fee - Alteration (\$975)	Demolition Permit (\$275)	Repair Septic (\$275) Extension \$225 or \$350	New Well (\$375)	Alter Well or Existing Well (\$375 or \$175)	Pump Out Permit (\$125) or Septic Tank License \$25	POOL & BEACH APPLICATION \$275 or \$375	Septic Permit Extension \$225 or \$375	DOG LICENSES	TOTAL
CEDAR RIDGE			ious lots for septic pump outs												\$125				\$125
WENTWORTH	22.00	3	29 Sand Spring				\$1,200												\$1,200
ALIN	47.00	9.01	140 Lee's Hill Road																\$275
DOMINGUEZ	49.00	14.03	25 Glen Alpin Road	\$175								\$275							\$450
KAZANECKI	17	40.04	15 Maryknoll Drive	\$175															\$175
COLALUCE WELL	49.00	11	88 Lee's Hill Road										\$375						\$375
KIM	18.00	11	6 Blue Mill Road									\$275							\$275
WHERE OLD MEETS NEW	8	5	27 Cherry Lane				\$1,200					\$275							\$1,200
STONINGTON CAPITAL (Guthhar)	15	22	12 Wildlife Run																\$275
GOSWAMI			1098 Mt. Kemble Avenue						\$375										\$375
MCCANN	16	13.06	63 Village Road	\$175															\$175
WHERE OLD MEETS NEW	51	20.02	235 Lee's Hill Road									\$275							\$275
MILEWSKI	28.00	3.06	4 Military Hill Drive						\$275										\$275
HEAP	9.00	17	537 Spring Valley Road		\$100														\$100
DELLANO'S FOOD TRUCK	32	9	1111 Mt. Kemble Avenue					300											\$300
DOG LICENSES																		106 DOG \$	106
			August TOTAL	\$525	\$100	\$0	\$2,400	\$675	\$275	\$0	\$0	\$1,375	\$375	\$0	\$125	\$0	\$0.0	\$106.0	\$5,956.0
																		AUGUST	\$5,956.0
																		JULY	\$1,363.0
																		JUNE	\$6,886.0
																		MAY	\$8,744.0
																		APRIL	\$4,340.0
																		MARCH	\$7,456
																		February	\$4,806
																		January	\$5,104
																		YTD TOTAL	\$44,655

ACCOUNTS RECEIVED MONTHLY COMPARISON Year to Year												
MONTH	2018	2019	2020	2021	2022	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED
JANUARY	\$ 11,022	\$ 13,797	\$12,950	\$ 10,623	\$5,104	14	15	15	15	15	12	12
FEBRUARY	\$ 6,395	\$ 3,381	\$6,185	\$ 2,445	\$4,806	8	8	13	8	8	10	10
MARCH	\$ 5,003	\$ 6,125	\$6,350	\$ 7,365	\$7,456	12	21	16	17	17	19	19
APRIL	\$ 3,835	\$ 6,706	\$3,173	\$ 7,629	\$4,340	10	11	7	24	11	11	11
MAY	\$13,782	\$ 7,431	\$8,829	\$ 7,543	\$8,744	19	19	13	21	21	13	13
JUNE	\$ 5,469	\$ 6,747	\$7,743	\$ 7,065	\$6,886	11	16	21	23	13	13	13
JULY	\$10,159	\$ 4,094	\$ 7,006	\$2,207	\$1,363	14	13	19	8	8	8	8
AUGUST	\$ 7,128	\$ 2,729	\$ 5,905	\$5,106	\$5,956	8	11	22	13	11	11	11
YEAR TO DATE	\$ 62,793	\$ 51,010	\$ 58,141	\$ 49,983	\$ 44,655	96	114	126	129	97	97	97

Number of Licenses					
YTD 2018	YTD 2019	YTD 2020	YTD 2021	YTD 2022	YTD 2022
\$ 10,542	\$ 9,798	\$ 9,096	\$ 9,602	\$ 9,405	\$ 9,405
531	509	459	481	461	461