

TOWNSHIP OF HARDING
BOARD OF HEALTH
REGULAR MEETING
IN PERSON
SEPTEMBER 8, 2022 at 7:30 pm
21 Blue Mill Road, New Vernon, NJ

ADEQUATE NOTICE of this meeting of the Harding Township Board of Health was given as follows: On January 14, 2022, notice was sent to the *DAILY RECORD* and the *OBSERVER-TRIBUNE*, posted on the Bulletin Board in the Township Hall at 21 Blue Mill Road in Harding, NJ and filed with the Municipal Clerk.

AGENDA

(To the extent now known)

AGENDA ITEMS	Formal Action May Be Taken	
	Yes	No
1. Roll Call – Board Secretary		X
2. Request to Appeal Health Department Ruling		
• Weichert, Block 13, Lot 1.01, 72 Woodland Road Request to Board to Appeal Health Department Ruling on a Variance Application	X	
3. Acceptance of BOH Minutes		
* Regular Minutes, September 8, 2022	X	
4. Monthly Health Department Report		
* Monthly Report, September 2022	X	
* Monthly Financial Report September 2022	X	
5. County of Morris Monthly Report of Activities for the Township of Harding		
* Monthly Report, September 2022	X	
6. Formal Request to Board of Health for Extension of Septic Permit	X	
• Mr. & Mrs. Price, Block 6, Lot 8, 139 Blue Mill Road – 1 st Septic Permit Extension Request		
• Mr. & Mrs. Cotter, Block 34, Lot 8, 566 Tempe Wick Road – 1 st Septic Permit Extension Request		
7. Other matters that may come before the Board and Hearing Persons Present		X
8. Adjournment	X	



**TOWNSHIP OF HARDING
BOARD OF HEALTH
REQUEST TO APPEAL HEALTH DEPARTMENT
RULING
FEE: \$500.00**

21 Blue Mill Road, P.O. Box 666
New Vernon, New Jersey 07976
(973) 267-8000 Ext. 715

R# 8572

To request a waiver from Harding health standards or to appeal a ruling by the Health Department, the applicant must complete this form and comply with the conditions set herein. The Board of Health cannot waive New Jersey state requirements. The request for waivers and appeals will not be heard by the Board of Health unless a complete application. If the Board needs to consult with the Township Attorney or Township Engineer, an escrow account must be established prior to the meeting.

SITE INFORMATION:

OWNER: PAMELA WEICHERT ^{c/o JAMES WEICHERT} BLOCK: 13 LOT: 1.01
PROPERTY ADDRESS: 72 WOODLAND ROAD
MAILING ADDRESS: P.O. BOX 442, NEW VERNON, NJ 07976
PHONE: 973. 290. 5726 EMAIL: JWeichertJr c Weichert Companies.com

PROJECT INFORMATION:

Briefly describe the project and waivers requested or reasons for appeal:

MODIFICATION OF AN EXISTING
RESIDENTIAL STRUCTURE.

APPEAL OF INTERPRETATION THAT THE
PROJECT SHOULD BE DEFINED AS
"RECONSTRUCTION"

Project Engineer: RYAN SMITH c/o YANNACCONE, VILLA & ANDRICH
Address: P.O. BOX 459, CHESTER, NJ 07930
Phone: 908. 879. 6646 ext. 17 Email: r.smith c yvallon.com

APPLICATION CHECKLIST:

<input type="checkbox"/>	Three hard copies of the application and plans plus a pdf file of all materials.
<input type="checkbox"/>	Fee of \$500.00
<input type="checkbox"/>	Applicant ownership -If the applicant is a corporation or partnership, a list of names and addresses of all stock holders owning at least 10% of any class of its stock or at least 10% of the partnership interest.
<input type="checkbox"/>	Ownership certification -The site owner must sign the application or provide a statement of permission allowing an agent to sign the application.
<input type="checkbox"/>	Notification of Affected parties -The applicant shall provide the names and address of property owners within 200 feet of the subject site. The applicant shall also provide proof that these property owners have been notified of the waiver application, the time and date of the scheduled hearing and the nature of the waivers requested.
<input type="checkbox"/>	A plan view of the system(s) affected and the entire site at a minimum scale of one inch equals thirty feet (1"=30')
<input type="checkbox"/>	Plan view shall show the locations of all permanent structures including, but not limited to: driveways, house foundations, pools, outbuildings, decks, underground storage tanks, underground drainage systems, underground utilities, wetland boundaries and wetland transition areas.
<input type="checkbox"/>	Plan view shall show the location of all of the septic system components and wells on the subject site within 150 feet of the subject lot.
<input type="checkbox"/>	Plan view shall show the complete extent, including all structures, septic system components and water supplies of all adjacent parcel affected by the waiver request.
<input type="checkbox"/>	Plan view shall highlight or otherwise draw attention to the area or areas requiring waivers from Board of Health regulations.
<input type="checkbox"/>	The plan or application support documents shall show a table that includes: a. the Board of Health requirement or limitation b. existing condition(s) if applicable c. proposed condition(s)

Person
with
provide
upon
receipt

OWNER CERTIFICATION:

I am the owner of the subject property and I certify the submitted information is correct and understand my responsibilities to comply with applicable state and local regulations.

Owners Signature: Pam Weichert

Date: 9/22/22

AGENT CERTIFICATION:

I am the agent for the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable and local regulations.

Agent Signature: [Signature]

Date: 9/21/22

Board of Health
Monthly Report

- 1. SEPTEMBER 2022 – Monthly
w/Financial Report**

HARDING TOWNSHIP HEALTH DEPARTMENT

MONTHLY REPORT

SEPTEMBER 2022

ENVIRONMENTAL HEALTH

INSPECTIONS: Septic System, Well Construction and Permeability Testing
Total for the Month SEPTEMBER 2022: (9) Year-to-Date: (106)

Gorzengo, Block 28, Lot 3.06, 4 Military Hill, Permeability Testing. Mr. Byrnes witnessed part 1 of the soil investigation on September 1, 2022. Later that afternoon, Mr. Byrnes witnessed part 2 of the soil investigation with Houser Engineering.

Gelband, Block 50, Lot 8, 26 Long Hill Road, Septic Abandonment. Mr. Byrnes witnessed the septic abandonment on September 8, 2022.

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic. Mr. Byrnes witnessed the septic tank installation on September 15, 2022.

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic. Mr. Byrnes witnessed the force main on September 19, 2022.

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic. Mr. Byrnes witnessed the septic tank abandonment on September 20, 2022.

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic. Mr. Byrnes witnessed the sewer line installation on September 20, 2022.

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic. Mr. Byrnes conducted an inspection of the distribution box on September 21, 2022.

Casey, Block 26, Lot 14, 21 Kennedy Lane, Permeability Testing. Mr. Byrnes witnessed the permeability testing on September 28, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for SEPTEMBER (9) YTD: (107)

Pfeiffer, Block 6, Lot 6, 1 Red Gate Road, Well Repair. In review by Mr. Byrnes. Permit issued to Gould Well & Pump #3274.

Eaglesite Management, Block 50, Lot 8, 26 Long Hill Road, Septic Abandonment. Mr. Byrnes witnessed the septic abandonment.

Marano, Block 35, Lot 21.1, 19 Country Drive, Revised Septic Alteration/No Expansion Plans. Mr. Byrnes reviewed the revised plans and issued the approval on September 1, 2022.

Bonetti, Block 4, Lot 15.04, 25 Grey Gables Lane, Septic As-Built. Mr. Byrnes reviewed the septic as-built and issued the certificate of compliance.

Sisco, Block 14, Lot 1, 131 Pleasantville Road, Addition Review. Miss Meyers reviewed the applicant and sent approval on September 27, 2022.

Gelband, Block 50, Lot 8, 26 Long Hill Road, Demolition of Building. Mr. Byrnes approved the application to demolish the building.

Halilton, Block 39, Lot 2.01, 21 Primrose Trail, Septic Alteration. In review by Miss Meyers.

Slonaker, Block 47, Lot 13.01, 55 Youngs Road, Subdivision/Site Plan Approval. Miss Meyers reviewed the application and sent approval to the Board of Adjustment on October 5, 2022.

Calvosa, Block 49, Lot 8, 9 Crane Road, New Septic. In review by Mr. Byrnes.

PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM: MARCH/AUGUST 2022

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. **Awaiting architectural plans**

Health Department
Monthly Report
September 2022

Heap, Block 9, Lot 17, 537 Spring Valley Road, Variance Application. In review by Mr. Byrnes.
Dominquez, Block 49, Lot 14.03, 25 Glen Alpin Road, Septic Repair. Mr. Byrnes witnessed the septic repair.
Gutjahr, Block 8, Lot 5, 27 Cherry Lane, New Septic. Mr. Byrnes reviewed the septic application and sent comments to the engineer on October 4, 2022.

Wentworth, Block 22, Lot 3, 29 Sand Spring Road, New Septic. Miss Meyers reviewed the application and sent approval on September 19, 2022.

Kurz, Block 15, Lot 22, 12 Wildlife Run, Septic Repair. Miss Meyers witnessed the septic repair and issued the C of C #3273 on August 23, 2022.

McCann, Block 16, Lot 13.06, 63 Village Road, Addition Review. Mr. Byrnes reviewed the application and sent approval.

HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR SEPTEMBER 2022:

Mrs. Sharp conducted two separate notary services on September 1, 2022.

Mrs. Sharp conducted a file review on September 1, 2022 for number of bedrooms at 15 Welsh Lane. The file showed this property is a 6 bedroom dwelling.

Mrs. Sharp conducted an OPRA request for septic information at Block 50, Lot 8.03. The information was emailed on September 6, 2022.

Mrs. Sharp conducted an OPRA request on September 7, 2022 for number of bedrooms at 15 Baileys Mill Road. The information was emailed.

Mrs. Sharp conducted an OPRA request for septic information on 18 Gleneagles Drive on September 7, 2022. The information was emailed.

Mrs. Sharp and Mr. Byrnes conducted a file review on September 12, 2022 with Mr. Mark Patalive, Engineer regarding various blocks and lots. Information was emailed to Mr. Patalive.

Mrs. Sharp conducted an OPRA request on September 14, 2022, for septic and well information pertaining to 44 Youngs Road. The information was emailed.

Mrs. Sharp met with Mrs. Gorman, Assistant Health Officer regarding Health Department matters on September 14, 2022.

Mrs. Sharp spoke with Dr. Perez, Jr., Health Officer on September 14, 2022, regarding Health Department matters.

Mrs. Sharp conducted an OPRA request for septic information pertaining to 15 Welsh Lane. The information was emailed on September 15, 2022.

Mrs. Sharp conducted a file review for septic and well information on September 19, 2022 pertaining to 1 Military Hill Drive. The information was emailed.

Mrs. Sharp conducted a file review on September 22, 2022, pertaining to 44 Young's Road.

Mrs. Sharp conducted a file review on September 26, 2022, pertaining to 15 Baileys Mill Road for septic and a survey. The information was emailed.

Mrs. Sharp conducted notary services on September 27, 2022.

Mrs. Sharp attended a Remarriage Webinar on September 28, 2022.

Mrs. Sharp conducted a file review on September 28, 2022, for septic and well information pertaining to 2 Country Drive. The information was emailed.

Mrs. Sharp corresponded with Dr. Perez, Jr., Mrs. Gorman, and Mrs. Bella on health department matters throughout the month of September 2022.

SEPTIC TANK PUMP OUT PERMITS FOR SEPTEMBER – Total for Month: (35) YTD: (164)

Health Department
Monthly Report
September 2022

Horstmann Septic, Block 15, Lot 22, Kurz, 12 Wildlife Run, 1 tanks pumped on August 6, 2022, P#8582, plumbing backup.

Horstmann Septic, Block 26.01, Lot 30, Dolan, 4 St. Clair Road, 2 tanks pumped on August 8, 2022, P#8583, routine maintenance.

Horstmann Septic, Block 38, Lot 10, Maxwell, 5 Lake Trail West, 1 tank pumped on August 12, 2022, P#8584, routine maintenance.

Horstmann Septic, Block 25.02, Lot 10, Tonzola, 85 Sand spring Road, 1 tank pumped on August 12, 2022, P#8585, plumbing backup.

Horstmann Septic, Block 50, Lot 8.01, Forgione, 18 Long Hill Road, 3 tanks pumped on August 15, 2022, P#8586, routine maintenance.

Horstmann Septic, Block 19, L11, Resnick, 53 Blue Mill Road, 5 tanks pumped on August 17, 2022, P#8587, routine maintenance.

Horstmann Septic, Block 15, Lot 22, Kurz, 12 Wild Life Run, 1 tank pumped on August 17, 2022, P#8588, routine maintenance.

Horstmann Septic, Block 17, Lot 25, Nagle, 21 Pleasantville Road, 1 tank pumped on August 24, 2022, P#8589, routine maintenance.

Horstmann Septic, Block 51, Lot 20.02, Shah, 235 Lees Hill Road, 2 tanks pumped on August 26, 2022, P#8590, plumbing back up.

Horstmann Septic, Block 6, Lot 3.01, Krementz, 25 Red Gate Road, 2 tanks pumped on August 29, 2022, routine maintenance.

Coppola Services, Block 23, Lot 9, Muirhead, 86 Sand Spring Road, 1 tank pumped on June 10, 2022, routine maintenance.

Coppola Services, Block 46.01, Lot 10, McElroy, Deutsch, Mulvaney & Carpenter, 1300 Mt. Kemble Avenue 1 tank pumped on August 20, 2022, routine maintenance.

Coppola Services, Block 17, Lot 19, Mangin, 39 Pleasantville road, 1 tank pumped on August 26, 2022, P#8340, routine maintenance.

Horstmann Septic, Block 50, Lot 8, Gelband, 26 Long Hill Road, 1 tank pumped on September 1, 2022, P#8592, routine maintenance.

Horstmann Septic, Block 49, Lot 17, Bruns, 15 Glen Eagle Drive, 3 tanks pumped on September 7, 2022, P#8593, routine maintenance.

Horstmann Septic, Block 35, Lot 21.02, Heineman, 127 Glen Alpin Road, 1 tank pumped on September 12, 2022, P#8594, routine maintenance.

Hotstmann Septic, Block 10, Lot 1, Ward, 70 Dicksons Mill Road, 1 tank pumped on September 12, 2022, P#8595, routine maintenance.

Frank Apgar, Block 12, Lot 5.05, Temple, 34 Woodland Road, 2 tanks pumped on September 16, 2022, P#8134, routine maintenance.

Horstmann Septic, Block 26, Lot 6, Maldonado, 2 Tall Pines Road, 1 tank pumped on September 14, 2022, P#8596, routine maintenance.

Horstmann Septic, Block 19, Lot 14.01, Noyes, 22 Sand Spring Road, 2 tanks pumped on September 16, 2022, P#8597, routine maintenance.

Horstmann Septic, Block 16, Lot 13.04, Bonelli, 73 Village Road, 1 tank pumped on September 16, 2022, P#8598, plumbing backup.

Horstmann Septic, Block 35, Lot 20.04, Bongiorno, 141 Glen Alpin Road, 4 tanks pumped on September 17, 2022, P#8599, routine maintenance.

Horstmann Septic, Block 51, Lot 2, Barba, 32 Lindsley Road, 1 tank pumped on September 19, 2022, P#8600, routine maintenance.

Health Department
Monthly Report
September 2022

Horstmann Septic, Block 48, Lot 7.18, Mastracchio, 1 Trap Rock Farm Lane, 1 tank pumped on September 19, 2022, P#8626, routine maintenance.

Horstmann Septic, Block 14, Lot 1.01, Bakst, 121 Pleasantville Road, 2 tanks pumped on September 20, 2022, P#8627, routine maintenance.

Horstmann Septic, Block 33.02, Lot 8, Andersen, 20 Post House road, 1 tank pumped on September 21, 2022, P#8628, routine maintenance.

Horstmann Septic, Block 17, Lot 13.03, Hagman, 60 Millbrook Road, 1 tank pumped on September 21, 2022, P#8629, routine maintenance.

Horstmann Septic, Block 8, Lot 13, Wolf, 15 Sutton Drive, 1 tank pumped on September 22, 2022, P#8630, routine maintenance.

Horstmann Septic, Block 16, Lot 17.01, Giordano, 42 Featherbed Lane, 3 tanks pumped on September 22, 2022, P#8631, routine maintenance.

Frank Apgar, Block 17, Lot 24.01, Masterson, 27 Pleasantville Road, 1 tank pumped on September 21, 2022, P#8135, abandonment.

Horstmann Septic, Block 19, L9, Knapp, 65 Blue Mill Road, 4 tanks pumped on September 24, 2022, P#8632, routine maintenance.

Horstmann Septic, Block 40, Lot 4, Zalis, 59 Primrose Trail, 1 tank pumped on September 27, 2022, P#8633, routine maintenance.

Horstmann Septic, Block 46, Lot 20, Wang, 61 Brook Drive South, 4 tanks pumped on September 28, 2022, P#8634, routine maintenance.

Horstmann Septic, Block 9, Lot 6.02, Andrade, 220 Blue Mill Road, 2 tanks pumped on September 29, 2022, P#8635, routine maintenance.

Horstmann Septic, Block 35, Lot 21.14, Borkan, 10 Cedar Hill Drive, 1 tank pumped on September 29, 2022, P#8636, routine maintenance.

WELL RECORDS: Total for *September 2022* (0) Year to Date: (2)

No well records received for the month of September 2022.

SEPTIC/WELL PERMITS ISSUED: Total for *SEPTEMBER 2022* (1) YTD: (24)

Scaramellino, Block 35, Lot 21.10, 19 Country Drive, Septic Alteration, P #3272 was issued on September 1, 2022.

CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for *SEPTEMBER 2022* (1) YTD: (24)

Kurz, Block 15, Lot 22, 12 Wildlife Run, September Repair, C of C #3273 was issued on August 23, 2022.

RETAIL FOOD INSPECTIONS – Total for *SEPTEMBER 2022* (4) Total for YTD: (27)

Pizza Vita Food Truck for one day event in Harding Township scheduled for September 1, 2022 from 6 to 8 pm. Mr. Byrnes conducted the retail food inspection on September 1, 2022. A satisfactory rating was issued.

Scream Truck for one day event in Harding Township scheduled for September 1, 2022 from 6 to 8 pm. Mr. Byrnes conducted the retail food inspection on September 1, 2022. A satisfactory rating was

issued.

Kemmerer Library, 19 Blue Mill Road, Risk Type 1. Miss Meyers conducted a retail food inspection on September 14, 2022 and issued a satisfactory rating.

Jolie Life, 12 Village Road, Block 17, Lot 61, Risk Type 3. Miss Meyers conducted a reinspection on September 28, 2022 and issued a Conditional Satisfactory. Miss Meyers will reinspect within two weeks.

RETAIL FOOD LICENSES – Total for *SEPTEMBER 2022* (5) Total for YTD: (24)

Scream Truck for one day event at Margetts Field on October 1, 2022 for the Harding Township Centennial. This event has been cancelled and will be rescheduled.

Bro-Ritos for one day event at Margetts Field on October 1, 2022 for the Harding Township Centennial. This event has been cancelled and will be rescheduled.

Beer Truck (Washington House) for one day event at Margetts Field on October 1, 2022 for the Harding Township Centennial. This event has been cancelled and will be rescheduled.

Tony Boys Sandwich House for one day event at Margetts Field on October 1, 2022 for the Harding Township Centennial. This event has been cancelled and will be rescheduled.

ENVIRONMENTAL WATER SAMPLE RESULTS: Total for *SEPTEMBER 2022*: (0) YTD: (2)

No environmental water samples were taken in the month of September.

PUBLIC HEALTH

VITAL STATISTICS: Two (2) marriage license(s) were received and one (1) was issued by Harding, one death notice(s) was received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp conducted a marriage license application on September 1, 2022.

Mrs. Sharp answered a marriage license question on September 8, 2022.

Mrs. Sharp conducted a marriage license application on September 13, 2022.

Mrs. Sharp answered a certified copy question on September 15, 2022.

Mrs. Sharp issued a marriage license on September 15, 2022.

Mrs. Sharp issued two separate certified copies of a marriage license on September 23, 2022.

Mrs. Sharp conducted a marriage license application on September 23, 2022.

Mrs. Sharp received a marriage license record on September 26, 2022 from Church of Christ the King.

Mrs. Sharp conducted a marriage license application on September 27, 2022.

Mrs. Sharp conducted a marriage license application on September 29, 2022.

INCIDENTS AND COMPLAINTS:

No incidents or complaints were received during the month of September 2022.

COVID-19 UPDATE:

Morris County case numbers are updated on this website in the afternoons on Monday-Friday. [2019 Novel Coronavirus Outbreak \(COVID-19\) – Morris County, NJ \(www.morriscountynj.gov\)](https://www.morriscountynj.gov/covid-19)

FLU/COVID CLINIC:

The Health Department held their annual influenza vaccination clinic on October 4, 2022 from 3 to 7 pm. Atlantic Health administered the flu shots along with booster COVID-19 vaccinations. There were 62 participants with 14 of the 62 who received the Covid vaccination. The Public Health Nurse, Kathy Basile attended the clinic and administered blood pressures.

INQUIRIES-REQUESTS-COMPLAINTS:

In **September 2022** the Health Department received **0** complaints for animal matters; **4** inquiries from residents regarding, notary services, well water testing, and public health food information; and **11** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

Year-to-date 2022, the Health Department responded to **151** combined complaints/inquiries/requests; as follows:

- 10 complaints – dog bites
- 37 inquiries -- regarding home sales, dog licenses and well water testing
- * 104 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

ANIMAL CONTROL:

Dog Licenses

During the month of **SEPTEMBER 2022**, the Health Department issued 7 dog licenses during the month of September 2022. The fees to the State totaled \$8.40. For **SEPTEMBER 2021** a total of 1 dog license was issued during the month of September 2021 with the fees to the State totaling \$1.20.

Year-to-date 2022, a total of 468 dogs have been licensed with five being service dogs and two being replacement licenses for lost tags.

Animal Control Solutions picked up a stray dog owned by Joel Branosky, 33 Baileys Mill Road. Dog is not licensed and a letter requesting immediate licensing was issued on September 30, 2022. The dog was licensed on October 3, 2022.

Animal Control Solutions requested a dog license check for two dogs located on Ravenswood on July 28, 2022. Mrs. Sharp informed Animal Control that the dogs are not licensed with Harding and a letter requesting immediate licensing was issued on July 29, 2022. **A second letter will be issued as the resident has not responded to the first letter. A violation could be issued for non-compliance.**

CORRESPONDENCE RECEIVED

Ever-Green Inspection Services, Block 49, Lot 43, Chu, 25 Morgan Drive, On-site Wastewater Treatment System A. System was inspected on September 6, 2022. System was found to be in Unsatisfactory Condition. The metal locking lid is not secured, baffle that prohibits floating solids from leaving the tank could not be seen, outlet port of the tank was not uncovered for inspection and camera could not be inserted into the conveyance line.

Ever-Green Inspection Services, Block 49, Lot 43, Chu, 25 Morgan Drive, On-site Wastewater Treatment

Health Department
Monthly Report
September 2022

System B. System was inspection on September 6, 2022. System was found be in Unsatisfactory Condition. The metal locking lid is not secured, baffle that prohibits floating solids from leaving the tank could not be seen. Due to the depth of the d-box, the d-box was not uncovered and will require addition information.

SEPTEMBER 2022 MONTHLY FINANCIAL REPORT


ACCOUNTS RECEIVED MONTHLY COMPARISON												
Year to Year												
MONTH	2018	2019	2020	2021	2022	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED	PLANS SUBMITTED
JANUARY	\$ 11,022	\$ 13,797	\$12,950	\$ 10,623	\$5,104	14	15	15	15	12	2022	2022
FEBRUARY	\$ 6,395	\$ 3,381	\$6,185	\$ 2,445	\$4,806	8	8	13	8	10	2022	2022
MARCH	\$ 5,003	\$ 6,125	\$6,350	\$ 7,365	\$7,456	12	21	16	17	19	2022	2022
APRIL	\$ 3,835	\$ 6,706	\$3,173	\$ 7,629	\$4,340	10	11	7	24	11	2022	2022
MAY	\$ 13,782	\$ 7,431	\$8,829	\$ 7,543	\$8,744	19	13	21	21	13	2022	2022
JUNE	\$ 5,469	\$ 6,747	\$7,743	\$ 7,065	\$6,886	11	16	21	23	13	2022	2022
JULY	\$ 10,159	\$ 4,094	\$ 7,006	\$2,207	\$1,363	14	13	19	8	8	2022	2022
AUGUST	\$ 7,128	\$ 2,729	\$ 5,905	\$5,106	\$5,956	8	11	22	13	11	2022	2022
SEPTEMBER	\$ 5,921	\$ 4,994	\$ 7,094	\$13,589	\$5,078	14	16	13	13	9	2022	2022
YEAR TO DATE	\$ 68,714	\$ 56,004	\$ 65,235	\$ 63,572	\$ 49,733	110	130	139	142	106	2022	2022

Board of Health

**Formal Request for Extension of Septic
Permit**

(Requires BOH Approval)

1. **Mr. & Mrs. Price, Block 6, Lot 8, 139 Blue Mill Road, First Septic Permit Extension Request.**
2. **Mr. & Mrs. Cotter, Block 34, Lot 8, 566 Tempe Wick Road, First Septic Permit Extension Request.**



**TOWNSHIP OF HARDING
BOARD OF HEALTH
FORMAL REQUEST TO BOARD OF HEALTH FOR
EXTENSION OF SEPTIC PERMIT**

21 Blue Mill Road, P.O. Box 666
New Vernon, New Jersey 07976
(973) 267-8000 Ext. 715

RH 8569

Application is made to the Board of Health for septic permit extension. Harding Township Code 422-23B – The Board of Health, in granting such extension, may impose additional conditions on the permit as may be appropriate taking into consideration newly adopted standards and practices. No more than two (2) one-year extensions may be granted.

SITE INFORMATION:

OWNER: Dan & Lisa Price BLOCK: 6 LOT: 8
PROPERTY ADDRESS: 139 Blue Mill Rd. Harding NJ 07960
MAILING ADDRESS: 139 Blue Mill Rd. Harding NJ 07960
PHONE: 917-740-9890 EMAIL: daniel@the-prices.com

PROJECT INFORMATION:

Briefly describe the reason an extension is being requested: (you may submit a separate sheet)

The main construction project on the house encountered some issues during the design phase that needed to be overcome prior to the owners moving out.

The project has now been submitted to the building department for permits and the septic system will be installed during the main construction phase to eliminate any disruption of

PROJECT ENGINEER: Ryan L. Smith, P.E. (Yannaccone, Villa & Aldrich, LLC)
ADDRESS: 460 Main St, P.O. Box 459 Chester, NJ 07930
PHONE: 908-879-6646 EMAIL: r.smith@yvallc.com

PROJECT CONTRACTOR: Bedminster Excavation
ADDRESS: 333 County Rd. 627, Milford NJ, 08848
PHONE: 908-619-4914 EMAIL: gerrysmi@msn.com

OWNER CERTIFICATION:

I am the owner of the subject property and I certify the submitted information is correct and understand my responsibilities to comply with applicable state and local regulations.

Owner's Signature: *[Signature]* Date: 9/8/22

AGENT CERTIFICATION:

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agent's Signature: *[Signature]* Date:



**TOWNSHIP OF HARDING
BOARD OF HEALTH
FORMAL REQUEST TO BOARD OF HEALTH FOR
EXTENSION OF SEPTIC PERMIT**

21 Blue Mill Road, P.O. Box 666
New Vernon, New Jersey 07976
(973) 267-8000 Ext. 715

Application is made to the Board of Health for septic permit extension. Harding Township Code 422-23B – The Board of Health, in granting such extension, may impose additional conditions on the permit as may be appropriate taking into consideration newly adopted standards and practices. No more than two (2) one-year extensions may be granted.

SITE INFORMATION:

OWNER: Daniel & Caren Cotter BLOCK: 34 LOT: 8
PROPERTY ADDRESS: 566 Tempe Wick Road, Morristown NJ 07960
MAILING ADDRESS: 566 Tempe Wick Road, Morristown NJ 07960
PHONE: 646-734-8518 EMAIL: dcotter33@gmail.com

PROJECT INFORMATION:

Briefly describe the reason an extension is being requested: (you may submit a separate sheet)

Project has not started - zoning permit was just issued 9/9/2022

PROJECT ENGINEER: Ryan Smith, Yannacone, Villa & Aldrich, LLC
ADDRESS: 460 Main Street, PO Box 459, Chester, NJ 07930
PHONE: 908-879-6646 EMAIL: r.smith@yvallc.com

PROJECT CONTRACTOR: None yet
ADDRESS: _____
PHONE: _____ EMAIL: _____

OWNER CERTIFICATION:

I am the owner of the subject property and I certify the submitted information is correct and understand my responsibilities to comply with applicable state and local regulations.

Owner's Signature: *Daniel Cotter* Date: 9/21/2022

AGENT CERTIFICATION:

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agent's Signature: _____ Date: _____