

TOWNSHIP OF HARDING
BOARD OF HEALTH
REGULAR MEETING
IN PERSON
DECEMBER 8, 2022 at 7:30 pm
21 Blue Mill Road, New Vernon, NJ

ADEQUATE NOTICE of this meeting of the Harding Township Board of Health was given as follows: On January 14, 2022, notice was sent to the *DAILY RECORD* and the *OBSERVER-TRIBUNE*, posted on the Bulletin Board in the Township Hall at 21 Blue Mill Road in Harding, NJ and filed with the Municipal Clerk.

AGENDA

(To the extent now known)

AGENDA ITEMS	Formal Action May Be Taken	
	Yes	No
1. Roll Call – Board Secretary		X
2. Request for Waiver from Board of Health Regulations Mr. & Mrs. Hamilton, Block 39, Lot 2.01, 21 Primrose Trail	X	
3. Request for Waiver from Board of Health Regulations Mr. Zachary Merves, Block 18, Lot 11, 6 Blue Mill Road	X	
4. Acceptance of BOH Minutes * Regular Minutes, November 10, 2022	X	
5. Monthly Health Department Report * Monthly Report, November 2022 * Monthly Financial Report October 2022	X X	
6. County of Morris Monthly Report of Activities for the Township of Harding * Monthly Report, November 2022	X	
7. BOH Resolution #08-2022 – 2023 Salary Resolution for Health Department Personnel	X	
8. Other matters that may come before the Board and Hearing Persons Present		X
9. Adjournment	X	

Board of Health

Waiver Request

Applicant: Mr. & Mrs. Hamilton

21 Primrose Trail

Block 39, Lot 2.01

Two WAIVERS being requested:


- 1. The proposed disposal field will be less than 25 feet from property line. 25 feet is required requesting 14.5 feet.**
- 2. The proposed disposal field will be less than 50 feet from the disposal field on adjacent property. 50 feet is required requesting 28 feet.**



**TOWNSHIP OF HARDING
BOARD OF HEALTH
REQUEST FOR WAIVER FROM BOARD OF
HEALTH REGULATIONS
FEE: \$175.00**

R# 8594

New Vernon, New Jersey 07976
(973) 267-8000 Ext. 715



To request a waiver from Harding health standards or to appeal a ruling by the Health Department the applicant must complete this form and comply with the conditions set herein. The Board of Health cannot waive New Jersey State requirements. The request for waivers and appeals will not be heard by the Board of Health unless a complete application. If the Board needs to consult with the Board of Health Attorney or Township Engineer an escrow account must be established prior to the hearing.

SITE INFORMATION:

OWNER: Mr. and Mrs. Trevor Hamilton BLOCK: 39 LOT: 2.01
PROPERTY ADDRESS: 21 Primrose Trail
MAILING ADDRESS: 2707 Caldwell Road NE, Atlanta GA 30319
PHONE: 646-422-9092 EMAIL: trevorwhamilton@gmail.com

PROJECT INFORMATION: Briefly describe the project and waivers requested or reasons for appeal. (You may submit a separate sheet).

The applicant is proposing to install a new septic system

to replace the existing malfunctioning septic system.

The project will require the following 2 waivers:

The proposed disposal field will be less 25 ft. from the property line.

(25 ft. required vs. 14.5 ft. proposed)

The proposed disposal field will be less than 50 ft. from the disposal field on adjacent property

(50 ft. required vs. 28 ft. proposed)

PROJECT ENGINEER: Parker Engineering & Surveying, P.C.

ADDRESS: 370 East Main Street, Somerville NJ 08876

PHONE: 908-725-4400


EMAIL: parkeres@aol.com

APPLICATION CHECKLIST:

<input checked="" type="checkbox"/>	Three physical copies and a PDF of the application and plans.
<input checked="" type="checkbox"/>	Fee of \$175.00
<input type="checkbox"/>	Applicant Ownership: If the applicant is a corporation or partnership, a list of names and addresses of all stockholders or partners owning at least 10% of any class of its stock or at least 10% of the partnership interest.
<input checked="" type="checkbox"/>	Owner Certification: The site owner must sign the application or provide a statement of <u>permission allowing an agent to sign the application.</u>
<input checked="" type="checkbox"/>	Notification of Affected Parties: The applicant shall provide the names and addresses of property owners within 200 feet of the subject site. The applicant shall also provide proof that these property owners have been notified of the waiver application, the time and date of the schedule hearing and the nature of the waivers requested.
<input checked="" type="checkbox"/>	A plan view of the system(s) affected and the entire site at a minimum scale of one inch equals thirty feet. (1"=30')
<input checked="" type="checkbox"/>	Plan view shall show the locations of all permanent structures including, but not limited to: driveways, house foundations, pools, outbuildings, decks, underground storage tanks, underground drainage systems, underground utilities, wetland boundaries and wetland transition areas.
<input checked="" type="checkbox"/>	Plan view shall show the location of all of the septic components and wells on the subject site and within 150 feet of the subject lot.
<input checked="" type="checkbox"/>	Plan view shall show the complete extent, including all structures, septic system components and water supplies of all adjacent parcels affected by the waiver request.
<input checked="" type="checkbox"/>	Plan view shall highlight or otherwise draw attention to the area or areas requiring waivers from Board of Health regulations.
<input checked="" type="checkbox"/>	The plan or application support documents shall show a table that includes: a. The Board of Health requirement or limitation b. Existing condition(s) if applicable c. Proposed condition(s)

OWNER CERTIFICATION:

I am the owner of the subject property and I certify the submitted information is correct and I understand my responsibilities to comply with applicable state and local regulation.

Owners Signature:  Date: 11/1/22

AGENT CERTIFICATION:

I am the agent for the owner of the subject property and I certify that I have permission and authorization to sign for the owner and that the submitted information is correct. I have informed the owner of his/her responsibilities to comply with applicable state and local regulations.

Agents Signature: _____ Date: _____

Board of Health

Waiver Request

Applicant: Mr. Zachery Merves

6 Blue Mill Road

Block 18, Lot 11

WAIVERS being requested:

1. Setback from a well to the septic system, 100 feet is required, 87 feet is proposed.

2. Setback from a property line to disposal field; 25 feet is required, 10 feet is proposed.

2. Waiver of the requirement under section 22-26 of the Township code that requires a septic disposal field be setback from a property line a minimum of 25 feet, requesting 12.8 feet.

R-# 8598



**TOWNSHIP OF HARDING
BOARD OF HEALTH
REQUEST FOR WAIVER FROM BOARD OF
HEALTH REGULATIONS
FEE: \$175.00**

21 Blue Mill Road, P.O. Box 666
New Vernon, New Jersey 07976
(973) 267-8000 Ext. 715

RECEIVED
NOV 28 2022

To request a waiver from Harding health standards or to appeal a ruling by the Health Department the applicant must complete this form and comply with the conditions set herein. The Board of Health cannot waive New Jersey State requirements. The request for waivers and appeals will not be heard by the Board of Health unless a complete application. If the Board needs to consult with the Board of Health Attorney or Township Engineer an escrow account must be established prior to the hearing.

SITE INFORMATION:

OWNER: Mr. Zachary Merves BLOCK: 18 LOT: 11
PROPERTY ADDRESS: 6 Blue Mill Road
MAILING ADDRESS: 6 Blue Mill Road, Morristown NJ 07960
PHONE: 908-698-3176 EMAIL: zachary.merves@gmail.com

PROJECT INFORMATION: Briefly describe the project and waivers requested or reasons for appeal. (You may submit a separate sheet).

The applicant is proposing to construct a new septic system to replace the existing malfunctioning septic system.

The following waivers are required for approval of the system:

Setback from a well to the septic system: 100 ft. required vs. 87 ft. proposed

Setback from a property line to disposal field: 25 ft. required vs. 10 ft. proposed

and any other waivers deemed necessary by the Board

PROJECT ENGINEER: Parker Engineering & Surveying, P.C.

ADDRESS: 370 East Main Street, Somerville NJ 08876

PHONE: 908-725-4400

EMAIL: parkeres@aol.com



November 21, 2021

Stephen E. Parker
Parker Engineering & Surveying
370 East Main Street
Somerville, NJ 08876
P: 908-725-4400

SUBJECT: ECOFLO COCO FILTER DESIGN

Site Location: 6 Blue Mill Road; Lot 11 Block 18
Municipality: Township of Harding – Morris County
Engineer: Parker Engineering & Surveying
Plan Date: September 19, 2022

This letter is in response to your request for approval of a design using a Premier Tech Ecoflo Biofilter. This review is related to the Ecoflo unit based on the manufacturer's (Premier Tech) design specifications. I reviewed the Wastewater Treatment System design for the property noted above utilizing an Ecoflo Coco Filter EC7-500-C-PDV and have found that the design is in accordance with the manufacturer's specifications based on the information provided on the plan.

Only eighteen (18) inches of risers are available for this Ecoflo unit. A ten (10) inch riser will come cast in the unit and an additional eight (8) inch riser is available for purchase if needed. It shall be noted that under our warranty guidelines this is the maximum number of risers permitted and a two (2) inch gap is to be left between the bottom of the unit's lid and the final grade surface. The contractor should install the unit based on these parameters. It should be noted that the installation contractor may need to move the unit compared to the location on the plan in order to meet these specifications.

It is recommended that the installation contractor obtain the latest installation guide and float adjustment guide for Ecoflo units prior to the installation found online at the Premier Tech Water and Environment Pro Space at www.PT-WaterEnvironment.com or by contacting me using the information below. Training is available for installation contractors who are not yet trained in Ecoflo installations. If you have any questions, please do not hesitate to contact me at 410-739-6063 or diek@premiertech.com.

A handwritten signature in black ink, appearing to read 'K. Dierolf'.

Kyle Dierolf
Regional Supervisor
Premier Tech Water & Environment
410-739-6063
diek@premiertech.com

PT Water et Environment

200 Kelly Rd. Suite B
Quakertown, PA
18951 U.S.A.

T. ☎ 215 536-2782
PT-WaterEnvironment.com

Board of Health Monthly Report

1. NOVEMBER 2022 - Monthly

HARDING TOWNSHIP HEALTH DEPARTMENT

MONTHLY REPORT

NOVEMBER 2022

ENVIRONMENTAL HEALTH

INSPECTIONS: Septic System, Well Construction and Permeability Testing
Total for the Month NOVEMBER 2022: (11) Year-to-Date: (124)

Hadjielefteriou, Block 4, Lot 8.02, 16 Red Gate Road, Septic Abandonment. Miss Meyers witnessed the septic abandonment on November 3, 2022.

Hadjielefteriou, Block 4, Lot 8.02, 16 Red Gate Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing with H2M on November 8, 2022.

Cvijic, Block 5, Lot 22, 4 Oxford Lane, Septic Abandonment. Mr. Byrnes witnessed the septic abandonment with Mr. Ward Connon on November 8, 2022.

Cvijic, Block 5, Lot 22, 4 Oxford Lane, Septic. Mr. Byrnes conducted an inspection of the sewer line on November 9, 2022.

Phoenix Realty Co, Block 35, Lot 21.07, 2 Country Drive, Permeability Testing. Mr. Byrnes witnessed the permeability testing on November 10, 2022.

Hanley, Block 48, Lot 7, 44 Youngs Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on November 10, 2022.

McNamee, Block 17, Lot 36.06, 19 Maryknoll Drive, Permeability Testing. Miss Meyers witnessed the permeability testing on November 17, 2022.

Lanzara, Block 33.03, Lot 1, 1 Post House Road, Septic. Mr. Byrnes witnessed the septic bed excavation on November 18, 2022.

Ford, Block 47, Lot 10, 114 Lee's Hill Road, Septic. Mr. Byrnes witnessed the septic vacuum test on November 18, 2022.

Ford, Block 47, Lot 10, 114 Lee's Hill Road, Septic. Mr. Byrnes conducted an inspection of the bed excavation on November 22, 2022.

Foley, Block 34, Lot 6, 554 Tempe Wick Road, Permeability Testing. Mr. Byrnes witnessed the permeability testing on November 25, 2022.

PLANS/APPLICATIONS RECEIVED/REVIEWED: Total for NOVEMBER (18) YTD: (129)

Hadjieleftherious, Block 4, Lot 8.02, 16 Red Gate Road, Septic Abandonment. Miss Meyers witnessed the septic abandonment on November 3, 2022.

Casey, Block 26, Lot 14, 21 Kennedy Lane, Septic Alteration. Miss Meyers reviewed the application has sent comments on November 17, 2022.

Masek, Block 48, Lot 7.06, 18 Gleneagles Drive, Septic Alteration. Miss Meyers reviewed the application and issued Permit #3275 on November 23, 2022.

Gelband, Block 50, Lot 8, 26 Long Hill Road, New Construction Septic. In review by Mr. Byrnes.

Cammarata, Block 17, Lot 20, 35 Pleasantville Road, Addition Review. Miss Meyers reviewed the application and issued a denial on November 10, 2022.

McEwan, Block 25.02, Lot 10.09, 37 Ravenswood Lane, Addition Review. Miss Meyers reviewed the application and issued approval on November 10, 2022.

Gutjahr, Block 8, Lot 5, 27 Cherry Lane, Reviewed new septic plans. In review by Mr. Byrnes.

Hadjieleftheriou, Block 4, Lot 8.02, 16 Red Gate Road, Demolition of Building. Miss Meyers issued Permit #3301 on November 29, 2022.

Hamilton, Block 39, Lot 2.01, 21 Primrose Trail, BOH Waiver for December 8, 2022 meeting.

Casey, Block 26, Lot 14, 21 Kennedy Lane, Revised Septic Alteration Plans. Miss Meyers reviewed the

revised plans and issued Permit #3303 on November 30, 2022.
Elizabeth Marsh Trust, Block 35, Lot 21.18, 129 Glen Alpin Road, Septic Repair. Miss Meyers issued Permit #3274 on November 23, 2022.
Bernstein, Block 51, Lot 20.03, 5 Pleasant Plains Road, Septic Repair. In review by Mr. Byrnes.
Merves, Block 18, Lot 11, 6 Blue Mill Road, BOH Waiver for December 8, 2022 meeting.
The Ridge at Sand Spring, Block 25.02, Lot 10.1, 47 Ravenswood Lane, New Septic/Domestic Well. In review by Mr. Byrnes.
McCaffrey, Block 35, Lot 21.16, 107 Glen Alpin Road, Septic Repair. Miss Meyers issued permit #3302 on November 29, 2022.
Coffey, Block 4, Lots 21/21.01, 665 Spring Valley Road, Subdivision with 5 lots. In review by Miss Meyers.
Phoenix Realty Group, Block 35, Lot 21.07, 2 Country Drive, Septic Alteration. In review by Mr. Byrnes.

**PLANS/APPLICATIONS RECEIVED/REVIEWED UPDATE FROM:
MARCH/SEPTEMBER/OCTOBER 2022**

Scandic Buildings, Block 26, Lot 11, 88 Glen Alpin Road, Septic Alteration-No Expansion. In review by Miss Meyers. **Awaiting architectural plans**
Calvosa, Block 49, Lot 8, 9 Crane Road, New Septic. In review by Mr. Byrnes. Awaiting updates.
Conger, Block 17, Lot 54, 19 Lee's Hill Road, Septic As-Built Plans. In review by Mr. Byrnes
Briggs, Block 43, Lot 14.01, 53 Lake Trail East, Addition Review. In review by Mr. Byrnes
Carifa, Block 55, Lot 7, 7 Lee's Hill Road, Review Septic Alteration Plans. In review by Mr. Byrnes.

HEALTH DEPARTMENT ACTIVITIES AND MEETINGS FOR NOVEMBER 2022:

Mr. Byrnes conducted an OPRA request for septic information on November 1, 2022, for 2 Gleneagles Drive.
Mr. Byrnes attended a class on November 2 through November 4, 2022.
Mr. Byrnes and Mrs. Sharp attended the rabies clinic on November 5, 2022, at the NVVFD from 9 am to 11 am.
Mr. Byrnes conducted a file review on November 8, 2022, for septic information pertaining to 129 Glen Alpin Road.
Mr. Byrnes conducted a site visit on November 9, 2022, at 82 Village Road regarding the pump house.
Mr. Byrnes conducted a file review on November 14, 2022, regarding 544 Tempe Wick Road.
Mrs. Sharp conducted an OPRA request on November 14, 2022, regarding septic information at 544 Tempe Wick Road.
Mrs. Sharp conducted a notary service on November 15, 2022.
Mr. Byrnes conducted a file review on November 16, 2022, for septic information pertaining to 16 Pleasantville Road.
Mrs. Sharp corresponded with Dr. Perez, Jr., Mrs. Gorman, and Mrs. Bella on health department matters throughout the month of November 2022.

SEPTIC TANK PUMP OUT PERMITS FOR NOVEMBER – Total for Month: (18) YTD: (197)

Coppola Services, Block 15, Lot 3, Helhoski, 34 Village Road, 1 tank pumped on October 10, 2022, P#8344, routine maintenance.
Horstmann Septic, Block 8, Lot 9.03, Birrittella, 9 Twinfield Lane, 3 tanks pumped on October 18, 2022, P#8646, routine maintenance.
Horstmann Septic, Block 47, Lot 8.01, Yingling, 166 Lees Hill Road, 1 tank pumped on November 1, 2022,

Health Department
Monthly Report
November 2022

P#8647, routine maintenance.
Horstmann Septic, Block 32, Lot 1.01, Longarzo, 6 Shalebrook Road, 2 tanks pumped on November 2, 2022, P#8648, routine maintenance.
Horstmann Septic, Block 4, Lot 52, Harns, 8 Hartley Farm Road, 4 tanks pumped on November 3, 2022, P#8649, routine maintenance.
Horstmann Septic, Block 21, Lot 2, Menger, 65 Sand Spring Road, 1 tank pumped on November 3, 2022, P#8650, routine maintenance.
Peach Brothers, Block 48, Lot 8, Whitehead, 24 Hunter Drive, 2 tanks pumped on November 1, 2022, P#8938, routine maintenance.
Horstmann Septic, Block 35, Lot 21.16, McCaffrey, 107 Glen Alpin Road, 2 tanks pumped on November 10, 2022, P#8651, plumbing backup.
Horstmann Septic, Block 2, Lot 13.02, Van Der Does, 120 Kitchell Road, 2 tanks pumped on November 10, 2022, P#8652, routine maintenance.
Horstmann Septic, Block 26.03, Lot 5.04, Lodato, 140 Glen Alpin Road, 3 tanks pumped on October 14, 2022, P#8653, routine maintenance.
Horstmann Septic, Block 4, Lot 14.05, O'Donnell, 600 Van Beuren Road, 2 tanks pumped on November 14, 2022, P#8654, routine maintenance.
Horstmann Septic, Block 12, Lot 5.03, Underkoffler, 3 Miller Road, 2 tanks pumped on November 15, 2022, P#8655, routine maintenance.
Horstmann Septic, Block 13, Lot 7, Probert, 14 Miller Road, 4 tanks pumped on November 15, 2022, P#8656, routine maintenance.
Horstmann Septic, Block 4, Lot 29, Benton, 15 Hartley Farm Road, 4 tanks pumped on November 17, 2022, P#8657, routine maintenance.
Horstmann Septic, Block 4, Lot 11, Gorczynski, 1 Hartley Farm Road, 4 tanks pumped on November 17, 2022, P#8658, routine maintenance.
Horstmann Septic, Block 17, Lot 3, McKittrick, 14 Millbrook Road, 2 tanks pumped on November 19, 2022, P#8659, routine maintenance.
Horstmann Septic, Block 36, Lot 24, Stires, 78 Primrose Trail, 1 tank pumped on November 18, 2022, P#8660, routine maintenance.
Horstmann Septic, Block 35, Lot 21.16, McCaffrey, 107 Glen Alpin Road, 1 tank pumped on November 22, 2022, P#8661, routine maintenance.

WELL RECORDS: Total for <i>NOVEMBER 2022</i> (0) Year to Date: (2)

No well permits were issued in the month of November 2022.

SEPTIC/WELL PERMITS ISSUED: Total for <i>NOVEMBER 2022</i> (5) YTD: (29)

Masek, Block 48, Lot 7.06, 18 Gleneagles Drive, Septic Alteration, Permit #3275 was issued on November 23, 2022.
Marsh Trust, Block 35, Lot 21.18, 129 Glen Alpin Road, Septic Repair, Permit #3274 was issued on November 23, 2022.
Hadjieleftheriou, Block 4, Lot 8.02, 16 Red Gate Road, Demolition of a Building, Permit 3301 was issued on November 29, 2022.
McCaffrey, Block 35, Lot 21.16, 107 Glen Alpin Road, Septic Repair, Permit #3302 was issued on November 29, 2022.
Casey, Block 26, Lot 14, 21 Kennedy Lane, Septic Alteration, Permit #3303 was issued on November 30,

2022.

CERTIFICATES OF COMPLIANCE (C of C) – INSTALLATION: Total for *NOVEMBER 2022* (1) YTD: (25)

Castello Realty, Block, Lot, 920 Mt. Kemble Avenue, Septic Alteration, C of C #3153 was issued on November 15, 2022.

RETAIL FOOD INSPECTIONS – Total for *NOVEMBER 2022* (2) Total for YTD: (31)

New Vernon Volunteer Fire Department, Block 15, Lot 1, 22 Village Road, Retail Food Inspection. Miss Meyers conducted an inspection on November 10, 2022 and a satisfactory rating was issued.
Wightman's Farm, Block 32, Lot 9, 1111 Mt. Kemble Avenue, Retail Food Inspection. Mr. Byrnes conducted an inspection on November 28, 2022 and issued a satisfactory rating.

RETAIL FOOD LICENSES – Total for *NOVEMBER 2022* (1) Total for YTD: (25)

Country Mile Gardens, 1098 Mt. Kemble Avenue, temporary food event for two weekends in December was issued on November 29, 2022.

ENVIRONMENTAL WATER SAMPLE RESULTS: Total for *November 2022*: (4) YTD: (10)

22-007 – Environmental water sampled for the Municipal Building at the well on November 10, 2022. Mrs. Sharp received notification that the sample returned unsatisfactory for total coliform. The well will be disinfected on December 1, 2022.
22-008 -- 2nd floor kitchen and 1st floor kitchen were resampled on November 17, 2022. Mrs. Sharp received notification that both results were negative for total coliform bacteria.
22-009 – 2nd floor bathroom was resampled on November 29, 2022. Mrs. Sharp is awaiting the results.
22-010 – Annual Nitrates was conducted from the 2nd Floor Kitchen on November 29, 2022. Mrs. Sharp is awaiting the results.

The NJDEP notified the Township that two positive coliform bacteria samples were received within a two-week span. The Township is required to resample three (3) additional water samples by December 2, 2022. Mrs. Sharp has conducted the three required water tests. Two of the retests were negative for total coliform. The result for the third sample has not been received as of December 1, 2022. Mr. Toribio will complete the paperwork and submit it to the State.

PUBLIC HEALTH

VITAL STATISTICS: One (1) marriage license(s) was received and zero (0) were issued by Harding, two death notice(s) were received, and zero birth certificates received. No domestic partnerships were reported.

Mrs. Sharp issued a certified copy of a marriage license on November 14, 2022.
Mrs. Sharp answered several certified copy questions on November 14, 2022.
Mrs. Sharp issued two certified copies of a marriage license on November 16, 2022.
Mrs. Sharp issued two certified copies of a marriage license on November 17, 2022 in the morning and two in the

afternoon.

Mrs. Sharp issued a certified copy of a marriage license on November 28, 2022.

INCIDENTS AND COMPLAINTS:

Mrs. Sharp received a bear complaint on November 2, 2022. Mrs. Sharp explained to the resident on what not to do when a bear is on a resident's property.

COVID-19 UPDATE:

The COVID-19 activity reports are updated every Friday and can be accessed at the following link:

[Department of Health | Communicable Disease Service | COVID-19 Weekly Surveillance Reports \(nj.gov\)](#)

The influenza reports are updated weekly (October to March/May of following year) and can be accessed at the following link:

[Department of Health | Communicable Disease Service | Influenza and Respiratory Illness Surveillance Reports \(nj.gov\)](#)

INQUIRIES-REQUESTS-COMPLAINTS:

In **November 2022** the Health Department received **1** complaint for animal matters; **3** inquiries from residents regarding, notary services, well water testing, and public health food information; and **5** requests for septic information from realtors, residents, prospective buyers, and engineers/contractors/septic inspectors.

Year-to-date 2022, the Health Department responded to **171** combined complaints/inquiries/requests; as follows:

- 11 complaints – dog bites, bears
- 43 inquiries -- regarding home sales, dog licenses and well water testing and notary services
- * 117 requests – septic information (as-built and number of bedrooms) from realtors, residents contractors, engineers, etc.

ANIMAL CONTROL:

Dog Licenses

During the month of **NOVEMBER 2022**, the Health Department issued zero dog licenses during the month of November 2022. For **NOVEMBER 2021** a total of zero dog licenses were issued during the month of November 2021.

Year-to-date 2022, a total of 470 dogs have been licensed with five being service dogs and two being replacement licenses for lost tags.

Mrs. Sharp and Mr. Byrnes attended the rabies clinic on November 5, 2022. A total of 75 dogs and cats were vaccinated.

<i>CORRESPONDENCE RECEIVED</i>

Ever-Green Inspection Services, Block 34, Lot 6, Sylva, 554 Tempe Wick Road, On-site Wastewater Treatment System. System was inspection on November 14, 2022 and found be in Unsatisfactory Condition. The treatment tank sidewalls and top are deteriorating, the top of tank has a hole allowing rain and debris to enter the tank. Baffle directing solids to the base of the tank is missing. The liquid level in the tank is low indicative of a leak. A blockage was noted in the conveyance line from treatment tank.

Board of Health Monthly Report

1. NOVEMBER 2022 – Financial Report

